Journal of
APPLIED POLYMER SCIENCE

Volume 78, 2000

EDITOR

Eric Baer
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

FOUNDING EDITOR

Herman F. Mark

ASSOCIATE EDITORS

Rabeh H. Elleithy
Polymer Diagnostics Inc.
The Geon Company
One Geon Center
Avon Lake, OH 44012

William G. Perkins
Shell Chemical Company
130 Johns Avenue
Akron, OH 44305-4097

Robert A. Shick
BF Goodrich
9921 Brecksville Road
Brecksville, OH 44141-3289

Brian W. Pengilly
430 Delaware Avenue
Akron, OH 44303-1236

David A. Schiraldi
KoSa
P.O. Box 5750
Spartanburg, SC 29304-5750

Debra L. Wilfong
3M Masking and Packaging
Systems Division
3M Center, Building 230-1S-10
St. Paul, MN 55144-1000

EDITORIAL BOARD

A.-C. Albertsson
T. M. Aminabhavi
A. N. Banerjee
B. M. Baysal
D. Benko
A. Bhowmick
W. Bonfield
L. Brannon-Peppas
R. P. Burford
G. Capaccio
S. H. Carr
M. Carrega
N. Chung
R. E. Cohen
J. R. Collier
J. M. G. Cowie
A. Crowson
G. W. Ehrenstein
M. S. El-Aasser
A. Galeski
G. Gillberg
W. Glasser
I. R. Harrison
P. A. Heiden
A. Hiltner
A. I. Isayev
S. H. Kandil
J. L. Kardos
F. N. Kelley
B. K. Kim
L. Koenczoel
T. Kurauchi
C. Lacabanne
J. L. Leblanc
K. Mauritz
J. W. Mays
S. McCarthy
P. Molyneux
C. L. Myers
T. Nakagawa
L. Nicolais
T. Nishi
R. M. Nowak
E. F. Oleynik
D. R. Paul
N. A. Peppas
N. A. Plate
G. Poehlein
R. E. Prud'homme
B. Rangby
L. Rebenfeld
F. Rodriguez
H. P. Schreiber
L. Shi
A. Siegmann
A. W. Snow
L. H. Sperling
D. R. Squire
J. Summers
S. C. Tjong
R. Vera-Graziano
I. M. Ward
C. Weder
G. Wilkes
K. J. Wynne

Editorial Production, John Wiley: Glenn Beck and Alyson Linefsky

The *Journal of Applied Polymer Science* (Print ISSN 0021-8995; Online ISSN 1097-4628 at Wiley InterScience, www.interscience.wiley.com) is published weekly, four volumes per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.
Copyright © 2000 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 750-4470. Periodicals postage paid at New York, NY, and at additional mailing offices.

The code and copyright notice appearing at the bottom of the first page of an item in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law.

This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

Subscription price (Volumes 75–78, 2000): $11,570.00 in US, $12,130.00 in Canada and Mexico, $12,606.00 outside North America. All subscriptions outside US will be sent by air. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please call (212) 850-6645 or e-mail: SUBINFO@wiley.com.

Postmaster: Send address changes to *Journal of Applied Polymer Science,* Caroline Rothaug, Director, Subscription Fulfillment and Distribution, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Advertising/Sales: Inquiries concerning advertising should be forwarded to the Advertising Sales Manager, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158, (212) 850-8832. Advertising Sales, European Contacts: Bob Kern or Nicky Douglas, John Wiley & Sons, Ltd., Baffins Lane, Chichester, West Sussex PO19 1UD, England. Tel: 44 1243 770 350/367; Fax: 44 1243 770 432; e-mail: adsales@wiley.co.uk

Reprints: Reprint sales and inquiries should be directed to the Customer Service Department, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158. Tel.: 212-850-8789.

Other Correspondence: Address all other correspondence to: *Journal of Applied Polymer Science,* Publisher, Interscience Division, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

The contents of this journal are indexed or abstracted in *Applied Mechanics Reviews, Chemical Abstracts, Chemical Titles, Current Contents/Engineering, Technology, and Applied Sciences, Current Contents/Physical, Chemical, and Earth Sciences, Engineering Index, Excerpta Medica, RAPRA Abstracts, Research Alert (ISI), Science Citation Index (ISI),* and *SCISEARCH Database (ISI).*

This paper meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper). ♾

Journal of Applied Polymer Science

Author Index—Volume 78

Abe, S. Y. See Godoy, A., 2511
Abedi, S.
—; Sharifi-Sanjani, N.: Preparation of High Isotactic Polybutene-1, 2533
Abraham, G.
—; Packirisamy, S.; Adhinarayanan, K.; Feby, A. G.; Ramaswamy, R.: Epoxy–Imide Resins from N-(4- and 3-carboxyphenyl)trimellitimides. I. Adhesive and Thermal Properties, 1729
Adhikari, R.
—; Gunatillake, P. A.; McCarthy, S. J.; Meijs, G. F.: Mixed Macrodiol-Based Siloxane Polyurethanes: Effect of the Comacrodiol Structure on Properties and Morphology, 1071
Adhinarayanan, K. See Abraham, G., 1729
Agarwal, R.
—; Saxena, N. S.; Bala Sharma, K.; Thomas, S.; Sreekala, M. S.: Effect of Different Treatments on the Thermal Behavior of Reinforced Phenol—Formaldehyde Polymer Composites, 603
Ahn, S. J.
—; Lee, K. H.; Kim, B. K.; Jeong, H. M.: Morphology and Physical Properties of SAN/NBR Blends: The Effect of AN Content in NBR, 1861
Ahn, S.-M. See Park, M.-J., 2554
Akar, A. See Öz, N., 870
Akashi, M. See Kishida, A., 2198
Akerlund, J.
—; Harmeier, S.; Pumphrey, J.; Timm, D. C.; Brand, J. I.: Diketopiperazine-Based Polymers from Common Amino Acids, 2213
Akkas, P.
—; Güven, O.: Enhancement of Uranyl Ion Uptake by Prestructuring of Acrylamide—Maleic Acid Hydrogels, 284
Albertsson, A.-C. See Khabbaz, F., 2369
Alla, A. See Pérez-Rodríguez, A., 486
Allcock, H. R. See Diefenbach, U., 650
Allonas, X. See Dossot, M., 2061
Al-Sabti, S. I.
—; Stolarski, T. A.: Rolling Contact Crack Growth in a PMMA Disc, 2311
Altstädt, V. See Lach, R., 2037
Amornsakchai, T.
—; Bassett, D. C.; Olley, R. H.; Hine, P. J.; Ward, I. M.: On Morphologies Developed during Two-Dimensional Compaction of Woven Polypropylene Tapes, 787
Ananthapadmanabha, G. S. See Vinay, M. N., 1737
Annenkov, V. V. See Danilovtseva, E. N., 101
Aota, H. See Matsumoto, A., 692
Aprem, A. S.
—; Joseph, K.; Mathew, A. P.; Thomas, S.: Sorption and Diffusion of Acrylonitrile Monomer Through Crosslinked Nitrile Rubber, 941
Arai, T. See Tsukada, M., 382
Araki, Y. See Sato, M., 1134
Arica, M. Y. See Denizli, A., 81
Astrini, N. See Bedia, E. L., 1200
Asua, J. M. See Unzué, M. J., 475
Atarashi, J.-I. See Kiura, M., 2140
Athanasiou, E. See Beltsios, K., 2145

Baer, E. See Mueller, C., 816
Bajpai, A. K.
—; Adsorption of Bovine Serum Albumin onto Glass Powder Surfaces Coated with Polyvinyl Alcohol, 933
—; Sachdeva, R.: Adsorption of Casein onto Alkali Treated Bentonite, 1656
—; Vishwakarma, N.: Adsorption Behavior of Poly(vinylpyrrolidone) Toward Fuller's Earth Suspensions, 2122
Balaji, R.
—; Subramanian, K.; Nanjundan, S.; Rami Reddy, A. V.: Copolymers of 4-(4′-Chlorocinnamoyl)phenyl Methacrylate and Methyl Methacrylate: Synthesis, Characterization and Determination of Reactivity Ratios, 1412
Balakrishnan, T.
—; Rajendran, V.: Polymer Supported Reagents. III. Kinetic Study of Synthesizing *n*-Octylacetate Using Insoluble Titanium Tetrachloride, 2075
Bala Sharma, K. See Agarwal, R., 603
Bang, Y. H. See Cho, H. H., 90
Banthia, A. K. See Ratna, D., 716
Bao, B. See Wu, M., 1320
Basak, R. K. See Saha, A. K., 495
Bassett, D. C. See Amornsakchai, T., 787
Bataille, P. See Sharifi-Sanjani, N., 1977
Bedia, E. L.
—; Astrini, N.; Sudarisman, A.; Sumera, F.; Kashiro, Y.: Characterization of Polypropylene and Ethylene–Propylene Copolymer Blends for Industrial Applications, 1200
Beltsios, K.
—; Athanasiou, E.; Tegou, E.; Kanellopoulos, N.: Phase-Inversion Applications Beyond Membrane Formation. I. Lithography Films, 2145
Benachour, D. See Djidjelli, H., 685
Bernede, J. C. See Godoy, A., 2511
Bernreitner, K. See Poelt, P., 1152

Bertini, S. See Martel, B., 2166
Beşkardeş, M. O. See Özer, F., 569
Bhatt, S. See Extrand, C. W., 173
Bhatta, D. See Saha, A. K., 495
Bhattacharya, S. N. See Chandranupap, P., 2405
Bhowmick, A. K. See Jha, A., 1001
Bignotti, F. See Penco, M., 1721
Bikiaris, D. N. See Karayannidis, G. P., 200
Binder, H. See Schwalm, R., 208
Biswas, S. See Jana, S. C., 1586
Boey, F. Y. C.
—; Qiang, W.: Glass-Transition Temperature–Conversion Relationship for an Epoxy–Hexahydro-4-methylphthalic Anhydride System, 511
Bondar, V. I. See Khotimskii, V. S., 1612
Bonora, M. See Mar'in, A. P., 2158
Borhani, S. See Haghighat Kish, M., 1923
Borsig, E. See Lazár, M., 886
Brahmakumar, M. See Menon, A. R. R., 1811
Brand, J. I. See Akerlund, J., 2213
Branham, K. E.
—; Byrd, H.; Cook, R.; Mays, J. W.; Gray, G. M: Preparation of Soluble, Linear Titanium-Conatining Copolymers by the Free-Radical Copolymerization of Vinyl Titanate Monomers with Styrene, 190
Bredenkamp, M. W. See Yaniç, C., 109
Bronjawat, J. See Kawahara, S., 1510
Brosse, J. C.
—; Campistron, I.; Derouet, D.; El Hamdaoui, A.; Houdayer, S.; Reyx, D.; Ritoit-Gillier, S.: Chemical Modifications of Polydiene Elastomers: A Survey and Some Recent Results, 1461
Brown, D. See Neyertz, S., 1939
Brown, R. See Lozinsky, V. I., 371
Bryansteva, I. S. See Khotimskii, V. S., 1612
Bucio, E. See Burillo, G., 972
Budrugeac, P. See Zaharescu, T., 298
Burczyk, A. See De Kee, D., 1250
Burillo, G.
—; Bucio, E.; Cervera, E.; Ogawa, T.: Studies on Salts of Amine-Containing Polymers with Benzoic Acids. III. Poly(*N,N*-dimethylaminoethyl methacrylate-*g*-polyethylene) with Benzoic Acids, 972
Byrd, H. See Branham, K. E., 190

Cairncross, R. A. See Price, P. E., Jr., 149
Cameron, J. See Coenjarts, C., 1897
Campistron, I. See Brosse, J. C., 1461
Cannon, A. M. See Diefenbach, U., 650
Cao, W. See Huang, L., 631
Capitaine, D. See Devallencourt, C., 1884
Carneiro, O. S.
—; Covas, J. A.; Vergnes, B.: Experimental and Theoretical Study of Twin-Screw Extrusion of Polypropylene, 1419
Carr, W. W.
—; Sarma, D. S.; Cook, L.; Shi, S.; Wang, L.; Pfromm, P. H.: Xerographic Printing of Textiles: Polymeric Toners and Their Performance, 2425
Castaño, V. M. See Velázquez, R., 586
Caykara, T. See Oren, S., 2219
Cervera, E. See Burillo, G., 972
Cha, D.-S. See Kweon, D.-K., 986
Champagne, M. F. See Roux, C., 2047
Chandra, R. See Rana, S. K., 25
Chandranupap, P.
—; Bhattacharya, S. N.: Reactive Processing of Polyolefins with MAH and GMA in the Presence of Various Additives, 2405
Chang, F.-C. See Lin, J.-J., 615
Chao, D. Y. See Wang, C. L., 1932
Chauhan, G. S. See Kaur, I., 1171
Chekanov, Y. A.
—; Pojman, J. A.: Preparation Of Functionally Gradient Materials Via Frontal Polymerization, 2398
Chen, C. See Gong, A., 2186
Chen, D.
—; Yuan, Y.; Zhao, Q.; Wang, L.; Wang, L.: Studies on Thermal Stability and Nonisothermal Thermal Decomposition Kinetics of Vinyl Chloride–Vinyl Acetate Copolymer Prepared via Microsuspension Polymerization, 1057
—; See Li, G., 133
Chen, J. See Huang, L., 631; Wu, M., 1320
Chen, J.-M. See Wang, Q.-H., 609
Chen, K. C. See Su, W.-F. A., 446
Chen, L. See Yang, J., 1869
Chen, L.-M.
—; Shen, K.: Biaxial Self-Reinforcement of Isotactic Polypropylene Prepared in Uniaxial Oscillating Stress Field by Injection Molding. I. Processing Conditions and Mechanical Properties, 1906
—; Shen, K.: Biaxial Self-Reinforcement of Isotactic Polypropylene Prepared in Uniaxial Oscillating Stress Field by Injection Molding. II. Morphology, 1911
Chen, S.-H. See Yang, C.-P., 1160
Chen, X. See Wang, G., 2180
Chen, Y. See Gong, A., 2186
Cheung, W. L. See Jia, D., 2482
Chiang, I. L. See Hsu, Y. G., 1179
Chin, I.-J. See Jang, L. W., 1998
Chmiel-Szukiewicz, E. See Kucharski, M., 2081
Cho, H. H.
—; Lee, K. H.; Bang, Y. H.: Effect of Fine Structure on Fatigue Resistance Property of Poly(ethylene terephthalate) Tire Cord Fibers, 90
Cho, H. S.
—; Choi, D. J.; Lee, W. Y.: Polymerization of Ethylene and Ethylene/1-Hexene over Ziegler-Natta/Metallocene Hybrid Catalysts Supported on SiO_2 Prepared by a Sol-Gel Method, 2318
Cho, J. See Lyoo, W. S., 438
Cho, S. M. See Kim, S. Y., 1381
Choe, K. H. See Jung, H. C., 624
Choi, D. J. See Cho, H. S., 2318
Choi, H. J. See Jang, L. W., 1998
Choi, H. S. See Noh, S. H., 1216

Choi, H.-Y.
—; Lee, D.-Y.; Lee, J.-Y.; Kim, J.-H.: Miscibility Behavior of Poly(*n*-butyl Methacrylate) Latex Films Containing Alkali-Soluble Resin, 639
Choi, J. H. See Lyoo, W. S., 438
Choudhary, V. See Mishra, A., 259
Chowdhury, S. R.
—; Das, C. K.: Structure–Shrinkability Correlation in Polymer Blends of Ethylene Vinyl Acetate and Chlorosulfonated Polyethylene, 707
Chu, C.-J. See Huang, Y.-J., 543
Chun, Y. S.
—; Kwon, H. S.; Kim, W. N.; Yoon, H. G.: Compatibility Studies of Sulfonated Poly(ether ether ketone)–Poly(ether imide)–Polycarbonate Ternary Blends, 2488
Coburn, J. C. See Dunne, R. C., 430
Coenjarts, C.
—; Cameron, J.; Pohlers, G.; Scaiano, J. C.; Zampini, A.: An *In Situ* Method for Measuring Acid Loss from Polymer Films, 1897
Conner, A. H.
—; Predicting the Reactivity of Phenolic Compounds with Formaldehyde Under Basic Conditions: An *Ab Initio* Study, 355
Contat-Rodrigo, L.
—; Ribes-Greus, A.: Viscoelastic Behavior of Degradable Polyolefins Aged in Soil, 1707
Cook, L. See Carr, W. W., 2425
Cook, R. See Branham, K. E., 190
Coqueret, X. See Martel, B., 2166
Covas, J. A. See Carneiro, O. S., 1419
Crini, G. See Martel, B., 2166; Radi, S., 2495
Cunha, A. M. See Mano, J. F., 2345
Cunningham, M. F.
—; Ma, J. W.: Calculating Molecular Weight Distributions in Emulsion Polymerization under Conditions of Diffusion Limited Chain Transfer, 217

Dahlan, H. M.
—; Khairul Zaman, M. D.; Ibrahim, A.: Liquid Natural Rubber (LNR) as a Compatibilizer in NR/LLDPE Blends, 1776
Dai, Y. See Gao, Y., 20
Dalev, P. G.
—; Patil, R. D.; Mark, J. E.; Vassileva, E.; Fakirov, S.: Biodegradation of Chemically Modified Gelatin Films in Soil, 1341
D'Almeida, J. R. M. See Tavares, M. I. B., 2358
D'Amore, A. See Penco, M., 1721
Damshkaln, L. G. See Lozinsky, V. I., 371
Danilovtseva, E. N.
—; Annenkov, V. V.; Skushnikova, A. I.; Svyatkina, L. I.: Complexes of 1-Vinylazoles with Transition Metals in Radical Polymerization, 101
D'Antone, S. See Penco, M., 1721
Dao, K.-L. D. See Lin, D., 1315
Das, C. K. See Chowdhury, S. R., 707
Das, S. See Saha, A. K., 495
Dash, B. N.
—; Rana, A. K.; Mishra, H. K.; Nayak, S. K.; Tripathy, S. S.: Novel Low-Cost Jute–Polymer Composites. III. Weathering and Thermal Behavior, 1671
David, M. O.
—; Nipithakul, T.; Nardin, M.; Schultz, J.; Suchiva, K.: Influence of Nonrubber Constituents on Tack of Natural Rubber. I. At Very Short Times of Contact (Pendulum Test), 1486
Davis, J. M. See Lin, D., 1315
Davis, T. P. See Iskander, G. M., 751
Deb, P. C. See Ratna, D., 716
De Barros, G. G. See Sales, M. J. A., 919
Deglise, X. See Neyertz, S., 1939
De Kee, D.
—; Fong, C. F. C. M.; Pintauro, P.; Hinestroza, J.; Yuan, G.; Burczyk, A.: Effect of Temperature and Elongation on the Liquid Diffusion and Permeation Characteristics of Natural Rubber, Nitrile Rubber, and Bromobutyl Rubber, 1250
Dell'erba, R.
—; Unsaturated Polyester Resins: Numerical Solution of a System of Equations Able to Describe Both Styrene and Unsaturation Consumption, 124
Denault, J. See Roux, C., 2047
Denes, F. See Ganapathy, R., 1783
Deng, X. See Li, X., 140
Denizli, A.
—; Özkan, G.; Arica, M. Y.: Preparation and Characterization of Magnetic Polymethylmethacrylate Microbeads Carrying Ethylene Diamine for Removal of Cu(II), Cd(II), Pb(II), and Hg(II) from Aqueous Solutions, 81
De, P. P. See Ghosh, S. K., 326, 743
Derouet, D. See Brosse, J. C., 1461
De, S. K. See Ghosh, S. K., 326, 743
Devallencourt, C.
—; Saiter, J. M.; Capitaine, D.: Reactions between Melamine Formaldehyde Resin and Cellulose: Influence of pH, 1884
Devries, R. A. See Warakomski, J. M., 2008
Diaz, F. R. See Godoy, A., 2511
Diefenbach, U.
—; Cannon, A. M.; Stromburg, B. E.; Olmeijer, D. L.; Allcock, H. R.: Synthesis and Metal Coordination of Thioether Containing Cyclo- and Poly(organophosphazenes), 650
Djidjelli, H.
—; Sadoun, T.; Benachour, D.: Effect of Plasticizer Nature and Content on the PVC Stability and Dielectric Properties, 685
Dong, J. H. See Qin, H. H., 1763
Dong, J.-P. See Huang, Y.-J., 543, 558
Dossot, M.
—; Sylla, M.; Allonas, X.; Merlin, A.; Jacques, P.; Fouassier, J.-P.: Role of Phenolic Derivatives in Photopolymerization of an Acrylate Coating, 2061
Dounis, D. V. See Kaushiva, B. D., 766

Drummond, K. M.
—; Hopewell, J. L.; Shanks, R. A.: Crystallization of Low-Density Polyethylene- and Linear Low-Density Polyethylene-Rich Blends, 1009
Duangthong, S. See Phinyocheep, P., 1478
Dunne, R. C.
—; Sitaraman, S. K.; Luo, S.; Rao, Y.; Wong, C. P.; Estes, W. E.; Gonzalez, C. G.; Coburn, J. C.; Periyasamy, M.: Investigation of the Curing Behavior of a Novel Epoxy Photo-Dielectric Dry Film (ViaLux™ 81) for High Density Interconnect Applications, 430

Ebringerová, A.
—; Hromádková, Z.; Malovíková, A.; Sasinková, V.; Hirsch, J.; Sroková, I.: Structure and Properties of Water-Soluble *p*-Carboxybenzyl Polysaccharide Derivatives, 1191
Egwim, K. See Raghavan, D., 2454
El Hamdaoui, A. See Brosse, J. C., 1461
Endo, K.
—; Uchida, Y.: 1,2-Polymerization of 1,3-Butadiene with $Cr(acac)_3$-Alkyaluminum Catalysts, 1621
Endo, S. See Sato, M., 1134
Estes, W. E. See Dunne, R. C., 430
Extrand, C. W.
—; Bhatt, S.: The Chemical Compatibility of Insert-Molded Bimaterial Composites of Polycarbonate and Carbon Fiber Polyetheretherketone, 173

Faizalla, A. See Moustafa, A. B., 1209
Fakirov, S. See Dalev, P. G., 1341
Fan, L. T. See Zeng, J., 1224
Fayos, M. See Regnier, N., 2379
Feby, A. G. See Abraham, G., 1729
Fei, B.
—; Wach, R. A.; Mitomo, H.; Yoshii, F.; Kume, T.: Hydrogel of Biodegradable Cellulose Derivatives. I. Radiation-Induced Crosslinking of CMC, 278
Fernández-Santín, J. M. See Pérez-Rodríguez, A., 486
Filippova, V. G. See Khotimskii, V. S., 1612
Fong, C. F. C. M. See De Kee, D., 1250
Foo, O. M. See Nasef, M. M., 2443
Fortelný, I. See Kelnar, I., 1597
Fouassier, J.-P. See Dossot, M., 2061
Fraga, F. See Núñez, L., 1239
Fu, H. See Li, G., 133
Fu, W. See Jia, D., 2482
Fujiyama, M.
—; Masada, I.; Mitani, K.: Melting and Crystallization Behaviors of Injection-Molded Polypropylene, 1751
Funhoff, D. See Schwalm, R., 208
Furusaki, S. See Yoshida, M., 695
Furuzono, T. See Kishida, A., 2198

Gahleitner, M. See Poelt, P., 1152
Galop, M.
—; Lamure, A.; Lacabanne, C.: Energy Losses in Ultrafiltration Hollow Fibers: Effect of Shape, 8
Ganapathy, R.
—; Manolache, S.; Sarmadi, M.; Simonsick, W. J., Jr.; Denes, F.: Immobilization of Active α-Chymotrypsin on RF-Plasma-Functionalized Polymer Surfaces, 1783
Ganapathy, S. See Subrahmanian, V., 2500
Gao, J.
—; Li, Y.; Zhao, M.; Liu, G.: Cure and Glass Transition Temperature of the Bisphenol S Epoxy Resin with 4,4′-Diaminodiphenylmethane, 794
Gao, Q. See Mai, K., 1579
Gao, Y.
—; Jian, X.; Dai, Y.; Xue, J.; Peng, S.; Liu, S.: Preparation and Characterization of Soluble Copoly(aryl ether ketone)s Containing Hindering Structures, 20
Ge, H. X. See Yang, S. C., 517
George, S. C.
—; Ninan, K. N.; Groeninckx, G.; Thomas, S.: Styrene–Butadiene Rubber/Natural Rubber Blends: Morphology, Transport Behavior, and Dynamic Mechanical and Mechanical Properties, 1280
German, A. L. See Slawinski, M., 875
Geymayer, W. See Poelt, P., 1152
Ghosh, S. K.
—; De, P. P.; Khastgir, D.; De, S. K.: Ionic Thermoplastic Elastomer Based on the Zinc Salt of Sulfonated Maleated EPDM Rubber. I. Effect of Zinc Stearate on Melt-Flow Behavior, and Dynamic Mechanical, Dielectric, and Physical Properties, 743
—; De, P. P.; Khastgir, D.; De, S. K.: Ionic Thermoplastic Elastomer Based on the Zinc Salt of Sulfonated Maleated EPDM Rubber. II. Reinforcement by Fillers, 326
Girish, T. P. See Vinay, M. N., 1737
Glasser, W. G. See Matsumura, H., 2242, 2254, 2262
Gleason, K. K. See Winder, E. J., 842
Godoy, A.
—; Tregouet, Y.; Abe, S. Y.; Molinie, P.; Diaz, F. R.; Bernede, J. C.: Properties of Poly(tetrabromo-*p*-phenylenediselenide) Doped with IBr, H_2SO_3, and CH_3COOH Acids, 2511
Golob, J. See Kukanja, D., 67
Gomes, A. S. See Gorelova, M. M., 1964
Gong, A.
—; Chen, Y.; Zhang, X.; Liu, H.; Chen, C.; Xi, F.: Synthesis and Characterization of Dendritic Poly(amidoamine)-Silica Gel Hybrids, 2186
Gonzalez, C. G. See Dunne, R. C., 430
González, V.
—; Guerrero, C.; Ortiz, U.: Chemical Structure and Compatibility of Polyamide–Chitin and Chitosan Blends, 850
Gorelova, M. M.
—; Pertsin, A. J.; Volkov, I. O.; Gomes, A. S.; Sanches, N. B.;

Nunes, R. C. R.; Obolonkova, E. S.; Lebedeva, O. V.: Effect of Deformation on the Surface Composition of Multicomponent Polymers. III. Behavior of Surface-Active Additive on Elastomer Surface in Stretching–Contraction Cycles, 1964
Goto, M. See Yoshida, M., 695
Gozzelino, G.
—; Malucelli, G.; Lambertini, V.: Kinetics of Acrylic Films Photopolymerization Through Analysis of the Thermal Curve, 458
Gradwell, M. H. S. See Reyneke-Barnard, C. P., 1100, 1112
Gray, G. M See Branham, K. E., 190
Greci, L. See Mar'in, A. P., 2158
Grellmann, W. See Lach, R., 2037
Gremmels, J. See Karger-Kocsis, J., 1139
Groeninckx, G. See George, S. C., 1280
Guardini, A. See Pegoretti, A., 1664
Guerrero, C. See González, V., 850
Gulati, A. See Ramanathan, K., 662
Gunatillake, P. A. See Adhikari, R., 1071
Güner, A. See Kaplan, H., 994; Kavlak, S., 507
Gupta, A. K. See Jafari, S. H., 962
Gupta, B.
—; Hilborn, J.; Hollenstein, Ch.; Plummer, C. J. G.; Houriet, R.; Xanthopoulos, N.: Surface Modification of Polyester Films by RF Plasma, 1083
Gupta, N. K.
—; Jain, A. K.; Singhal, R.; Nagpal, A. K.: Effect of Dynamic Crosslinking on Tensile Yield Behavior of Polypropylene/Ethylene-Propylene-Diene Rubber Blends, 2104
—; See Jain, A. K., 2089
Gupta, S. K. See Zhou, F., 1439
Guseva, L. N. See Mikheev, Y. A., 2435
Güven, O. See Akkas, P., 284
Guven, O. See Oren, S., 2219
Gyobu, S. See Sato, M., 1134
Haga, T.
—; Mori, R.; Wakida, T.; Takagishi, T.: Hydrolysis of Mercerized Cotton Fibers Due to Cellulase Treatment, 364
Haghighat Kish, M.
—; Borhani, S.: Degradation Cracking of Poly(ethylene terephthalate) Filaments by Methylamine and *N*-Propylamine, 1923
Hajipour, A.-R. See Mallakpour, S. E., 527
Halldén, Å.
—; Ohlsson, B.; Wesslén, B.: Poly(ethylene-graft-ethylene oxide) (PE-PEO) and Poly(ethylene-co-acrylic acid) (PEAA) as Compatibilizers in Blends of LDPE and Polyamide-6, 2416
Hamid, S. H.
—; Ultraviolet-Induced Degradation of Ziegler-Natta and Metallocene Catalyzed Polyethylenes, 1591
Han, S. S. See Lyoo, W. S., 438
Haque, M. E. See Lin, D., 1315
Harmeier, S. See Akerlund, J., 2213
Harrup, M. K.
—; Stewart, F. F.: Improved Method for the Isolation and Purification of Water-Soluble Polyphosphazenes, 1092
Hasegawa, N.
—; Okamoto, H.; Kato, M.; Usuki, A.: Preparation and Mechanical Properties of Polypropylene–Clay Hybrids Based on Modified Polypropylene and Organophilic Clay, 1918
Hashimoto, T. See Yuyama, H., 1025
He, B. See Yang, J., 1869
Hendrikse, K. G.
—; McGill, W. J.; Reedijk, J.; Nieuwenhuizen, P. J.: Vulcanization of Chlorobutyl Rubber. I. The Identification of Crosslink Precursors in Compounds Containing ZnO/$ZnCl_2$, 2290
—; McGill, W. J.: Vulcanization of Chlorobutyl Rubber. II. A Revised Cationic Mechanism of ZnO/$ZnCl_2$ Initiated Crosslinking, 2302
Higashiura, S. See Shimizu, T., 392
Hilborn, J. See Gupta, B., 1083
Hill, C. A. S.
—; Khalil, H. P. S. A.: Effect of Fiber Treatments on Mechanical Properties of Coir or Oil Palm Fiber Reinforced Polyester Composites, 1685
Hiltner, A. See Mueller, C., 816
Hine, P. J. See Amornsakchai, T., 787
Hinestroza, J. See De Kee, D., 1250
Hing, P. See Yu, S., 1348
Hirata, M.
—; A Fractal Approach to the Mixing–Microstructure–Property Relationship for Rubber Compounds, 1555
Hirotsu, T.
—; Tsujisaka, T.; Masuda, T.; Nakayama, K.: Plasma Surface Treatments and Biodegradation of Poly(butylene succinate) Sheets, 1121
Hirsch, J. See Ebringerová, A., 1191
Hollenstein, Ch. See Gupta, B., 1083
Honeychuck, R. V. See Lin, D., 1315
Hong, K.
—; Park, S.: Polyurea Microcapsules with Different Structures: Preparation and Properties, 894
Hong, S.-H. See Jung, H. C., 624
Hong, S. I. See Kang, S. J., 118
Hopewell, J. L. See Drummond, K. M., 1009
Horiike, S.
—; Yumoto, K.; Kanbara, K.; Matsuzawa, S.; Yamaura, K.: Application of Syndiotacticity-Rich PVA Hydrogels Prepared at a Low Temperature to Thermo- and pH-Responsive Release Devices, 41
Horiuchi, K.
—; Shibata, J.; Kouso, D.: Adsorption of Ammonia Gas with Cation-Exchange Resins and Sulfur Dioxide Gas with

Anion-Exchange Resins (Note), 1312
Houdayer, S. See Brosse, J. C., 1461
Houriet, R. See Gupta, B., 1083
Hrčková, L. See Lazár, M., 886
Hromádková, Z. See Ebringerová, A., 1191
Hsiue, G.-H.
—; Liu, Y.-L.; Tsiao, J.: Phosphorus-Containing Epoxy Resins for Flame Retardancy V: Synergistic Effect of Phosphorus–Silicon on Flame Retardancy, 1
Hsu, Y. G.
—; Chiang, I. L.; Lo, J. F.: Properties of Hybrid Materials Derived from Hydroxy-Containing Linear Polyester and Silica Through Sol–Gel Process. I. Effect of Thermal Treatment, 1179
Hu, Y. See Yang, S. C., 517
Huang, C.-Y.
—; Tseng, C.-I: The Effect of Interface Modification between POM and PTFE on the Properties of POM/PTFE Composites, 800
Huang, H.
—; Structure Development and Property Changes in High Density Polyethylene during Pan-Milling, 2016
—; Lu, H. H.; Liu, N. C.: Influence of Grafting Formulations and Extrusion Conditions on Properties of Silane-Grafted Polypropylenes, 1233
Huang, K.-S. See Yen, M.-S., 35
Huang, L.
—; Luo, G.; Zhao, X.; Chen, J.; Cao, W.: Self-Assembled Multilayer Films Based on Diazoresins Studied by Atomic Force Microscopy/Friction Force Microscopy, 631
—; Wang, S.: Effects of Heat Treatment on Tensile Properties of High-Strength Poly(vinyl alcohol) Fibers, 237
Huang, Y.-J.
—; Chu, C.-J.; Dong, J.-P.: Effects of Chemical Structure of Polyurethane-Based Low-Profile Additives on the Miscibility, Curing Behavior, Volume Shrinkage, Glass Transition Temperatures, and Mechanical Properties for Styrene/Unsaturated Polyester/Low-Profile Additive Ternary Systems. I: Miscibility, Curing Behavior, and Volume Shrinkage, 543
—; Lee, S.-C.; Dong, J.-P.: Effects of Chemical Structure of Polyurethane-Based Low-Profile Additives on the Miscibility, Curing Behavior, Volume Shrinkage, Glass Transition Temperatures, and Mechanical Properties for Styrene/Unsaturated Polyester/Low-Profile Additive Ternary Systems. II: Glass Transition Temperatures and Mechanical Properties, 558
Huang, Z. See Li, X., 140
Hummel, K. See Santos Rodríguez, F. J., 2206
Hwang, S. S. See Kim, B. C., 1267

Ibrahim, A. See Dahlan, H. M., 1776
Ichimura, K. See Kiura, M., 2140
Igwe, I. O.
—; Ogbobe, O.: Studies on the Alcoholysis of Some Seed Oils, 1826
Ikeda, K.-I. See Miyazaki, T., 1818
Ikeda, Y.
—; Elastomeric Poly(oxyethylene) Matrix for Ion Conduction, 1531
Inagaki, N.
—; Tasaka, S.; Nakajima, T.: Preparation of Oxygen Gas Barrier Polypropylene Films by Deposition of SiOx Films Plasma-Polymerized from Mixture of Tetramethoxysilane and Oxygen, 2389
—; See Kawabe, M., 1392
Ingolic, E. See Poelt, P., 1152
Iskander, G. M.
—; Kapfenstein, H. M.; Davis, T. P.; Wiley, D. E.: Synthesis and Copolymerization of Methacryloyl Hydroxamic Acids, 751
Ito, H. See Kiura, M., 2140
Itoh, Y. See Takezawa, Y., 14
Iwahara, T. See Tsumura, M., 724

Jacobs, E. P. See Yaniç, C., 109
Jacques, P. See Dossot, M., 2061
Jafari, S. H.
—; Gupta, A. K.: Impact Strength and Dynamic Mechanical Properties Correlation in Elastomer-Modified Polypropylene, 962
Jain, A. K.
—; Nagpal, A. K.; Singhal, R.; Gupta, N. K.: Effect of Dynamic Crosslinking on Impact Strength and Other Mechanical Properties of Polypropylene/Ethylene-Propylene-Diene Rubber Blends, 2089
—; See Gupta, N. K., 2104
Jakisch, L. See Kelnar, I., 1597
Jana, S. C.
—; Maiti, S.; Biswas, S.: Graft Copolymerization of Acrylonitrile on to Poly(Vinyl Alcohol) in Presence of Air Using Ceric Ammonium Nitrate-Natural Gums, 1586
Jandura, P.
—; Kokta, B. V.; Riedl, B.: Fibrous Long-Chain Organic Acid Cellulose Esters and Their Characterization by Diffuse Reflectance FTIR Spectroscopy, Solid-State CP/MAS ^{13}C-NMR, and X-Ray Diffraction, 1354
Jang, J. See Kim, H., 2518
Jang, L. W.
—; Lee, K. H.; Lee, D. C.; Yoon, J. S.; Chin, I.-J.; Choi, H. J.; Lee, K. H.: Alternating Copolymers as Compatibilizer for Blends of Poly(ethylene terephthalate) and Polystyrene, 1998
Janus, L. See Radi, S., 2495
Jeong, B.-G.
—; Rhee, H.-K.: Experimental Validation of the Optimal Trajectory of Initiator Concentration in a Batch MMA Polymerization Reactor, 1256
Jeong, H. M. See Ahn, S. J., 1861
Jha, A.
—; Bhowmick, A. K.: Mechanical and Dynamic Mechanical Thermal Properties of Heat- and Oil-Resistant

Thermoplastic Elastomeric Blends of Poly(butylene terephthalate) and Acrylate Rubber, 1001
Ji, B. C. See Lyoo, W. S., 438
Jia, D.
—; Luo, Y.; Li, Y.; Lu, H.; Fu, W.; Cheung, W. L.: Synthesis and Characterization of Solid-Phase Graft Copolymer of Polypropylene with Styrene and Maleic Anhydride, 2482
Jia, W. See Li, X., 140
Jian, X. See Gao, Y., 20
Jiang, X.
—; Zhong, Y.; Yan, D.; Yu, H.; Zhang, D.: Hyperbranched Copolymers of *p*-(Chloromethyl)styrene and *N*-Cyclohexylmaleimide Synthesized by Atom Transfer Radical Polymerization, 1992
Jiang, X.-Q. See Yang, S. C., 517
Jocham, D. See Schitter, R. M. E., 47
Jones, F. N. See Wang, C., 1698
Joseph, K. See Aprem, A. S., 941
Joseph, R. See Palaty, S., 1769
Jung, H. C.
—; Kang, S. J.; Kim, W. N.; Lee, Y.-B.; Choe, K. H.; Hong, S.-H.; Kim, S.-B.: Properties of Crosslinked Polyurethanes Synthesized from 4,4′-Diphenylmethane Diisocyanate and Polyester Polyol, 624
Júnior, P. L. P.
—; Effect of Cellulose Crystallinity on the Progress of Thermal Oxidative Degradation of Paper, 61
Jurkowska, B.
—; Olkhov, Y. A.; Jurkowski, B.: Structure of Natural Rubber/Emulsion Butadiene Rubber (NR/EBR) Vulcanizates, 732
Jurkowski, B. See Jurkowska, B., 732; Pesetskii, S. S., 858

Kabe, K.
—; Koishi, M.: Tire Cornering Simulation Using Finite Element Analysis, 1566
Kaji, A. See Shimizu, T., 392
Kakubo, T. See Kawahara, S., 1510
Kamidate, Y. See Yang, B., 1431
Kanbara, K. See Horiike, S., 41
Kanda, T. See Kishida, A., 2198
Kanellopoulos, N. See Beltsios, K., 2145
Kang, E. T. See Zhang, J., 1366
Kang, S. J.
—; Hong, S. I.; Park, C. R.: New Film-Forming Aromatic Poly(amide-imide)s Containing Isoindoloquinazolinedione Unit in the Backbone. 2. Physical Properties of the Film Cast from Poly(biphenylphthalic-dianhydride-oxydianline-4,4′-diamino3′-carbamoyl-benzanilide) Poly(BPDA-ODA-DACB)], 118
—; See Jung, H. C., 624
Kantoglu, O. See Oren, S., 2219
Kapfenstein, H. M. See Iskander, G. M., 751
Kaplan, H.
—; Güner, A.: Characterization and Determination of Swelling and Diffusion Characteristics of Poly(*N*-vinyl-2-pyrrolidone) Hydrogels in Water, 994
Karayannidis, G. P.
—; Sideridou, I. D.; Zamboulis, D. N.; Bikiaris, D. N.; Sakalis, A. J.: Thermal Behavior and Tensile Properties of Poly(ethylene terephthalate-*co*-ethylene isophthalate), 200
Karger-Kocsis, J.
—; Gremmels, J.: Use of Hygrothermal Decomposed Polyester–Urethane Waste for the Impact Modification of Epoxy Resins, 1139
Karlsson, S. See Khabbaz, F., 2369
Kashiro, Y. See Bedia, E. L., 1200
Kato, M. See Hasegawa, N., 1918
Kaur, I.
—; Kumar, R.; Singh, B.; Misra, B. N.; Chauhan, G. S.: Functionalization of Poly(tetrafluoroethylene-*co*-ethylene) Film by Radiation-Induced Graft Copolymerization, 1171
Kaushiva, B. D.
—; Dounis, D. V.; Wilkes, G. L.: Influences of Copolymer Polyol on Structural and Viscoelastic Properties in Molded Flexible Polyurethane Foams, 766
Kavlak, S.
—; Güner, A.: Effect of Some Selective Aromatic Cosolutes on the Main Thermodynamic Parameters of Aqueous Poly(*N*-vinyl-2-pyrrolidone) Solutions, 507
Kawabe, M.
—; Tasaka, S.; Inagaki, N.: Effects of Surface Modification by Oxygen Plasma on Peel Adhesion of Pressure-Sensitive Adhesive Tapes, 1392
Kawahara, S.
—; Kakubo, T.; Nishiyama, N.; Tanaka, Y.; Bronjawat, J.: Crystallization Behavior and Strength of Natural Rubber: Skim Rubber, Deproteinized Natural Rubber, and Pale Crepe, 1510
Ke, Y.
—; Lü, J.; Yi, X.; Zhao, J.; Qi, Z.: The Effects of Promoter and Curing Process on Exfoliation Behavior of Epoxy/Clay Nanocomposites, 808
Kelnar, I.
—; Stephan, M.; Jakisch, L.; Fortelný, I.: Influence of the Component Reactivity on the Properties of Ternary Reactive Blends Nylon 6/Rigid Brittle Polymer/Elastomer, 1597
Khabbaz, F.
—; Karlsson, S.; Albertsson, A.-C.: Py-GC/MS an Effective Technique to Characterizing of Degradation Mechanism of Poly(L-lactide) in the Different Environment, 2369
Khairul Zaman, M. D. See Dahlan, H. M., 1776
Khalil, H. P. S. A. See Hill, C. A. S., 1685
Khastgir, D. See Ghosh, S. K., 326, 743
Khattab, M. A.
—; Decabromobiphenyl Oxide–Aluminum Hydroxide System as a Flame Retardant for Styrene–Butadiene Rubber, 2134
Khong, K. T. See Zhang, J., 1366
Khotimskii, V. S.
—; Filippova, V. G.; Bryansteva, I. S.; Bondar, V. I.; Shantarovich, V. P.;

Yampolskii, Y. P.: Synthesis, Transport, and Sorption Properties and Free Volume of Polystyrene Derivatives Containing Si and F, 1612
Kim, B. C.
—; Hwang, S. S.; Lim, K. Y.; Yoon, K. J.: Toughening of PP/EPDM Blend by Compatibilization, 1267
Kim, B. K. See Ahn, S. J., 1861; Yoon, L. K., 1374
Kim, D.-H.
—; Park, K.-Y.; Kim, J.-Y.; Suh, K.-D.: Improved Compatibility of High-Density Polyethylene/Poly(ethylene terephthalate) Blend by the Use of Blocked Isocyanate Group, 1017
—; See Park, J.-G., 2227
Kim, H.
—; Jang, J.: Interfacial Behavior of Polyimide/Primer/Copper System by Preoxidation of the Primer, 2518
Kim, J.-H. See Choi, H.-Y., 639
Kim, J. K.
—; Lee, S. H.: New Technology of Crumb Rubber Compounding for Recycling of Waste Tires, 1573
Kim, J.-W. See Lee, C.-Y., 1853
Kim, J.-Y. See Kim, D.-H., 1017
Kim, S.-B. See Jung, H. C., 624
Kim, S. J. See Kim, S. Y., 1381
Kim, S. W. See Lee, C. H., 2540
Kim, S.-W. See Park, C.-S., 576
Kim, S. Y.
—; Cho, S. M.; Lee, Y. M.; Kim, S. J.: Thermo- and pH-Responsive Behaviors of Graft Copolymer and Blend Based on Chitosan and *N*-Isopropylacrylamide, 1381
Kim, W. N. See Chun, Y. S., 2488; Jung, H. C., 624
Kim, Y.-J.
—; Yoon, K.-J.; Ko, S.-W.: Preparation and Properties of Alginate Superabsorbent Filament Fibers Crosslinked with Glutaraldehyde, 1797
Kirschnick, T. See Lach, R., 2037
Kishida, A.
—; Kanda, T.; Furuzono, T.; Maruyama, I.; Akashi, M.: Novel Functional Polymers: Poly(dimethylsiloxane)-Polyamide Multiblock Copolymer. IX. Surface Properties of Blend Film of Aramid–Silicone Resins with Aramid, 2198
Kishimoto, S. See Ohishi, H., 953
Kiura, M.
—; Atarashi, J.-I.; Ichimura, K.; Ito, H.; Ohtani, H.; Tsuge, S.: Tacticity of Methacrylic Copolymers and Their Crosslinked Polymers Studied by Pyrolysis–Gas Chromatography, 2140
Klarić, I.
—; Vrandečić N. S.; Roje, U.: Effect of Poly(vinyl chloride)/Chlorinated Polyethylene Blend Composition on Thermal Stability, 166
Knight, R. See Petrovicova, E., 2272
Ko, S.-W. See Kim, Y.-J., 1797; Lee, M. H., 1986; Lim, D.-W., 2525
Koishi, M. See Kabe, K., 1566
Kokta, B. V. See Jandura, P., 1354
Koolhiran, C.
—; White, J. L.: Comparison of Intermeshing Rotor and Traditional Rotor of Internal Mixers in Dispersing Silica and Other Fillers, 1551
Kouso, D. See Horiuchi, K., 1312
Koval, V. N. See Pesetskii, S. S., 858
Kowitteerawut, T. See Suchiva, K., 1495
Krajnc, M. See Kukanja, D., 67
Kucharski, M.
—; Chmiel-Szukiewicz, E.: Reactions of Trithiocyanuric Acid with Oxiranes. II. Kinetics and Mechanism of Reactions, 2081
Kuhakarn, S. See Tangboriboonrat, P., 1505
Kukanja, D.
—; Golob, J.; Zupančič-Valant, A.; Krajnc, M.: The Structure and Properties of Acrylic-Polyurethane Hybrid Emulsions and Comparison with Physical Blends, 67
Kumar, R. See Kaur, I., 1171; Ramanathan, K., 662
Kumazawa, H.
—; Yoshida, M.: Mechanism of Gas Transport of NH_3-Plasma-Treated Poly(phenylene oxide) Membrane, 1845
Kume, T. See Fei, B., 278
Kuo, P.-L. See Wang, T.-L., 592
Kuo, T.-T. See Lin, J.-J., 615
Kuriakose, A. P. See Menon, A. R. R., 1811
Kuriakose, B. See Kurian, J. K., 304
Kurian, J. K.
—; Peethambaran, N. R.; Mary, K. C.; Kuriakose, B.: Effect of Vulcanization Systems and Antioxidants on Discoloration and Degradation of Natural Rubber Latex Thread Under UV Radiation, 304
Kurihara, S. See Nonaka, T., 1833
Kwak, G.-H.
—; Park, S.-J.; Lee, J.-R.: Thermal Stability and Mechanical Behavior of Cycloaliphatic—DGEBA Epoxy Blend System Initiated by Cationic Latent Catalyst, 290
Kweon, D.-K.
—; Cha, D.-S.; Park, H.-J.; Lim, S.-T.: Starch-*g*-Polycaprolactone Copolymerization Using Diisocyanate Intermediates and Thermal Characteristics of the Copolymers, 986
Kwon, H. S. See Chun, Y. S., 2488

Lacabanne, C. See Galop, M., 8
Lach, R.
—; Grellmann, W.; Weidisch, R.; Altstädt, V.; Kirschnick, T.; Ott, H.; Stadler, R.; Mehler, C.: Poly(styrene-*block*-butadiene-*block*-styrene-*block*-butadiene) and Poly(styrene-*block*-butadiene-*block*-methyl methacrylate) Copolymers as Compatibilizers in PPO–SAN Blends. I. Morphology and Fracture Behavior, 2037
Lafontaine, E. See Regnier, N., 2379
Lambertini, V. See Gozzelino, G., 458
Lamure, A. See Galop, M., 8
Larock, R. C. See Li, F., 1044

Lau, W. W. Y. See Pan, J. Q., 403
Lazár, M.
—; Hrčková, L.; Borsig, E.; Marcinčin, A.; Reichelt, N.; Rätzsch, M.: Course of Degradation and Build-Up Reactions in Isotactic Polypropylene During Peroxide Decomposition, 886
Lebedeva, O. V. See Gorelova, M. M., 1964
Leblanc, J. L.
—; Elastomer–Filler Interactions and the Rheology of Filled Rubber Compounds, 1542
Lee, C. H.
—; Kim, S. W.: Effects of Carbon Black on Electrical Properties of EPDM Compounds, 2540
Lee, C.-Y.
—; Kim, J.-W.; Suh, K.-D.: Water-Soluble Urethane Acrylate Ionomers: Effect of Molecular Structure on Ultraviolet Coating Properties, 1853
Lee, D. C. See Jang, L. W., 1998
Lee, D.-C. See Shin, S.-M., 2464
Lee, D.-Y. See Choi, H.-Y., 639
Lee, H.-M. See Wang, T.-L., 592
Lee, J. M. See Yeom, C. K., 179, 1645
Lee, J.-R. See Kwak, G.-H., 290
Lee, J.-Y. See Choi, H.-Y., 639
Lee, K. H. See Ahn, S. J., 1861; Cho, H. H., 90; Jang, L. W., 1998
Lee, K.-J. See Park, C.-S., 576
Lee, M. H.
—; Yoon, K. J.; Ko, S.-W.: Grafting onto Cotton Fiber with Acrylamidomethylated β-Cyclodextrin and Its Application, 1986
Lee, S.-C. See Huang, Y.-J., 558
Lee, S.-H.
—; Yoshioka, M.; Shiraishi, N.: Liquefaction and Product Identification of Corn Bran (CB) in Phenol, 311
—; Yoshioka, M.; Shiraishi, N.: Liquefaction of Corn Bran (CB) in the Presence of Alcohols and Preparation of Polyurethane Foam From Its Liquefied Polyol, 319
Lee, S. H. See Kim, J. K., 1573; Yeom, C. K., 179
Lee, W.-F.
—; Yen, S.-H.: Thermoreversible Hydrogels. XII. Effect of the Polymerization Conditions on the Swelling Behavior of the N-Isopropylacrylamide Gel, 1604
Lee, W. Y. See Cho, H. S., 2318
Lee, Y.-B. See Jung, H. C., 624
Lee, Y. M. See Kim, S. Y., 1381
Lekchiri, Y. See Radi, S., 2495
Leterrier, Y. See Wyser, Y., 910
Le Thuaut, P. See Martel, B., 2166
Li, F.
—; Larock, R. C.: Thermosetting Polymers from Cationic Copolymerization of Tung Oil: Synthesis and Characterization, 1044
Li, G.
—; Shen, J.: A Study of Pyridinium-Type Functional Polymers. IV. Behavioral Features of the Antibacterial Activity of Insoluble Pyridinium-Type Polymers, 676
—; Shen, J.; Zhu, Y.: A Study of Pyridinium-Type Functional Polymers. III. Preparation and Characterization of Insoluble Pyridinium-Type Polymers, 668
—; Tan, J.; Fu, H.; Ma, H.; Chen, D.; Zhou, Z.: Effect of the Polysilane Structure on Its Solution Fluorescence Quenching, 133
Li, H. See Xu, W., 243; Yang, J., 1869
Li, J. See Qian, J. W., 836
Li, M. See Wang, G., 2180
Li, X.
—; Deng, X.; Yuan, M.; Xiong, C.; Huang, Z.; Zhang, Y.; Jia, W.: *In Vitro* Degradation and Release Profiles of Poly-DL-Lactide-Poly(ethylene glycol) Microspheres with Entrapped Proteins, 140
Li, X.-G. See Wang, X.-S., 2025
Li, Y. See Gao, J., 794; Jia, D., 2482
Li, Z.-M. See Zhang, J., 537
Liang, J.-Z.
—; Elastic Behavior of LDPE/HEPE Blend Melts in Capillary Extrusion, 759
Lim, D.-W.
—; Yoon, K.-J.; Ko, S.-W.: Synthesis of AA-Based Superabsorbent Interpenetrated with Sodium PVA Sulfate, 2525
Lim, K. Y. See Kim, B. C., 1267
Lim, S.-T. See Kweon, D.-K., 986
Lin, C. H.
—; Wu, C. Y.; Wang, C. S.: Synthesis and Properties of Phosphorus-Containing Advanced Epoxy Resins. II, 228
Lin, D.
—; Willson, T. R.; Haque, M. E.; Vu, A. D.; Dao, K.-L. D.; Tshita, M. M.; Davis, J. M.; Honeychuck, R. V.: Fluorinated Siloxane Amine Oligomers, 1315
Lin, J.-J.
—; Lin, S.-F.; Kuo, T.-T.; Chang, F.-C.; Tseng, F.-P.: Synthesis and Epoxy Curing of Mannich Bases Derived from Bisphenol A and Poly(oxyalkylene)diamine, 615
Lin, S.-F. See Lin, J.-J., 615
Lin, S.-Y.
—; Yu, H.-L.: Microscopic Fourier Transform Infrared/Differential Scanning Calorimetry System Used to Study the Different Thermal Behaviors of Polymethacrylate Copolymers of Eudragits RS, RL, E 30D, or E, 829
Liou, G.-S. See Yang, C.-P., 1160
Liu, C.
—; Wang, Q.: Solid-Phase Grafting of Hydroxymethyl Acrylamide onto Polypropylene through Pan Milling, 2191
Liu, G. See Gao, J., 794
Liu, H. See Gong, A., 2186
Liu, N. C. See Huang, H., 1233; Pan, J. Q., 403
Liu, P. See Xu, W., 243
Liu, S. See Gao, Y., 20
Liu, W.
—; Shen, J.; Lu, F.; Xu, M.: Effect of Physical Aging on Fracture Behavior of Polyphenylquinoxaline Films, 1275
Liu, W.-M. See Wang, Q.-H., 609
Liu, Y.-L. See Hsiue, G.-H., 1
Lo, J. F. See Hsu, Y. G., 1179

Lozinsky, V. I.
—; Damshkaln, L. G.; Brown, R.; Norton, I. T.: Study of Cryostructuration of Polymer Systems. XVIII. Freeze–Thaw Influence on Water-Solubilized Artificial Mixtures of Amylopectin and Amylose, 371
Lu, F. See Liu, W., 1275
Lu, H. See Jia, D., 2482
Lu, H. H. See Huang, H., 1233
Lü, J. See Ke, Y., 808
Luo, G. See Huang, L., 631
Luo, S. See Dunne, R. C., 430
Luo, Y. See Jia, D., 2482
Lyoo, W. S.
—; Choi, J. H.; Han, S. S.; Yoon, W. S.; Park, M. S.; Ji, B. C.; Cho, J.: Preparation of Organo-Soluble Poly (2,2′-*m*-phenylene)-5,5′-bibenzimidazole) with High Yield by Homogeneous Nitration Reaction, 438
Ma, G.-H. See Yuyama, H., 1025
Ma, H. See Li, G., 133
Ma, J. W. See Cunningham, M. F., 217
Mahdavian, A.-R. See Mallakpour, S. E., 527
Mahdavian, A. R. See Sharifi-Sanjani, N., 1977
Mai, K.
—; Zhang, S.; Gao, Q.; Zeng, H.: Multiple Melting Behavior of Polyphenylene Sulfide Blends with Polyamide 6, 1579
—; See Wang, K., 2547
Maigret, B. See Neyertz, S., 1939
Maiti, S. See Jana, S. C., 1586
Malhotra, B. D. See Ramanathan, K., 662
Mallakpour, S. E.
—; Hajipour, A.-R.; Mahdavian, A.-R.: Synthesis of Novel Photoactive Heterocyclic Polyimides Containing Naphthalene Moieties via Cycloaddition Reactions, 527
Malovíková, A. See Ebringerová, A., 1191
Malucelli, G. See Gozzelino, G., 458
Mano, E. B. See Suarez, J. C. M., 899
Mano, J. F.
—; Reis, R. L.; Cunha, A. M.: Effects of Moisture and Degradation Time Over the Mechanical Dynamical Performance of Starch-Based Biomaterials, 2345
Manolache, S. See Ganapathy, R., 1783
Månson, J.-A. E. See Wyser, Y., 910
Mansoori, G. A. See Taimoori, M., 1328
Marcinčin, A. See Lazár, M., 886
Mar'in, A. P.
—; Bonora, M.; Greci, L.: Washing Out of Oligomeric Triazinic Hindered Amine from Polypropylene, 2158
Mark, J. E. See Dalev, P. G., 1341
Marr, D. W. M. See Swaminathan, K., 452
Martel, B.
—; Le Thuaut, P.; Crini, G.; Morcellet, M.; Naggi, A.-M.; Maschke, U.; Bertini, S.; Vecchi, C.; Coqueret, X.; Torri, G.: Grafting of Cyclodextrins onto Polypropylene Nonwoven Fabrics for the Manufacture of Reactive Filters. Part II. Characterization, 2166
—; See Radi, S., 2495
Maruyama, I. See Kishida, A., 2198
Mary, K. C. See Kurian, J. K., 304
Masada, I. See Fujiyama, M., 1751
Maschke, U. See Martel, B., 2166
Masuda, T. See Hirotsu, T., 1121
Mathew, A. P.
—; Packirisamy, S.; Thomas, S.: Morphology, Mechanical Properties, and Failure Topography of Semi-Interpenetrating Polymer Networks Based on Natural Rubber and Polystyrene, 2327
—; See Aprem, A. S., 941
Matsuguchi, M.
—; Miura, J.; Sakai, Y.: Effect of Crosslinking Structure on Sorption of CO_2 in Photocrosslinked PVCA Film, 1744
Matsumoto, A.
—; Yokoyama, K.; Aota, H.: Basic Study on Vinyl-Type Semi-Interpenetrating Polymer Network Formation. I. Free-Radical Crosslinking Copolymerization of Allyl Benzoate with Diallyl Terephthalate in the Presence of Chemically Inactive Poly(benzyl Methacrylate), 692
Matsumura, H.
—; Glasser, W. G.: Cellulosic Nanocomposites. II. Studies by Atomic Force Microscopy, 2254
—; Glasser, W. G.: Cellulosic Nanocomposites. II. Studies by Atomic Force Microscopy, 2262
—; Sugiyama, J.; Glasser, W. G.: Cellulosic Nanocomposites. I. Thermally Deformable Cellulose Hexanoates from Heterogeneous Reaction, 2242
Matsuoka, G. See Sato, M., 1134
Matsushita, T. See Miyazaki, T., 1818
Matsuzawa, S. See Horiike, S., 41
Mays, J. W. See Branham, K. E., 190
McCarthy, S. J. See Adhikari, R., 1071
McGill, W. J. See Hendrikse, K. G., 2290, 2302; Reyneke-Barnard, C. P., 1100, 1112
Mehler, C. See Lach, R., 2037
Meijs, G. F. See Adhikari, R., 1071
Menon, A. R. R.
—; Sudha, J. D.; Brahmakumar, M.; Pillai, C. K. S.; Kuriakose, A. P.: Studies on Blends of Melt-Processable Liquid Crystalline Polymers and Thermoplastics. I. Blend of Polyesteramide with Polyethylene, 1811
Merlin, A. See Dossot, M., 2061; Neyertz, S., 1939
Meuldijk, J. See Slawinski, M., 875
Migliaresi, C. See Pegoretti, A., 1664
Mikheev, Y. A.
—; Guseva, L. N.; Zaikov, G. E.: Sponge Effects in Polymers Interacting with Low-Molecular Weight Compounds, 2435
Mishima, S.
—; Nakagawa, T.: The Behavior of Solute Organic Compounds

and Water in Poly(dimethylsiloxane), 1304
Mishra, A.
—; Choudhary, V.: Synthesis, Characterizations and Thermal Behavior of Methyl Methacrylate and *N*-(*p*-carboxyphenyl) Methacrylamide/Acrylamide Copolymers, 259
Mishra, H. K. See Dash, B. N., 1671
Misra, B. N. See Kaur, I., 1171
Mitani, K. See Fujiyama, M., 1751
Mitomo, H. See Fei, B., 278
Mitra, B. C. See Saha, A. K., 495
Miura, J. See Matsuguchi, M., 1744
Miyazaki, T.
—; Shimazu, A.; Matsushita, T.; Ikeda, K.-I.: X-Ray Reflectivity Study of Polyimide Thin Films Swollen by 1,3-Butadiene and *n*-Butane, 1818
Modarress, H. See Taimoori, M., 1328
Molinie, P. See Godoy, A., 2511
Monteiro, S. N. See Tavares, M. I. B., 2358
Morbidelli, M. See Sliepcevich, A., 464
Morcellet, M. See Martel, B., 2166; Radi, S., 2495
Mori, R. See Haga, T., 364
Moszner, N. See Schitter, R. M. E., 47
Moustafa, A. B.
—; Faizalla, A.: Synthesis and Characterization of Porous Poly(methacrylic acid-*co*-triethylene glycol dimethacrylate) by Seed Emulsion Polymerization, 1209
Mueller, C.
—; Topolkaraev, V.; Soerens, D.; Hiltner, A.; Baer, E.: Breathable Polymer Films Produced by the Microlayer Coextrusion Process, 816
Muñoz-Guerra, S. See Pérez-Rodríguez, A., 486
Murthy, N. See Ramanathan, K., 662

Nagai, M. See Yuyama, H., 1025
Nagara, A. See Shimizu, T., 392
Nagata, M.
—; Synthesis, Characterization, and Hydrolytic Degradation of Copolyesters of 3-(4-Hydroxyphenyl) propionic Acid and *p*-Hydroxybenzoic Acid, Vanilic Acid, or Syringic Acid, 2474
Naggi, A.-M. See Martel, B., 2166
Nagpal, A. K. See Gupta, N. K., 2104; Jain, A. K., 2089
Nakagawa, T. See Mishima, S., 1304
Nakajima, T. See Inagaki, N., 2389
Nakayama, K. See Hirotsu, T., 1121
Nam, J.-D. See Park, C.-S., 576
Nanjundan, S. See Balaji, R., 1412
Nardin, M. See David, M. O., 1486
Narisawa, I. See Suzuki, H., 1955
Nasef, M. M.
—; Saidi, H.; Nor, H. M.; Foo, O. M.: Proton Exchange Membranes Prepared by Simultaneous Radiation Grafting of Styrene onto Poly(tetrafluoroethylene-*co*-hexafluoropropylene) Films. II. Properties of Sulfonated Membranes, 2443
Navard, P. See Seyvet, O., 1130
Nayak, S. K. See Dash, B. N., 1671
Neyertz, S.
—; Pizzi, A.; Merlin, A.; Maigret, B.; Brown, D.; Deglise, X.: New All-Atom Force Field for Crystalline Cellulose I, 1939
Nicholson, J. W.
—; Metal Salts Interaction with Acrylic Acid–Maleic Acid Copolymer: An Infrared Spectroscopic Study, 1680
Nieuwenhuizen, P. J. See Hendrikse, K. G., 2290
Ninan, K. N. See George, S. C., 1280
Nipithakul, T. See David, M. O., 1486
Nishi, T. See Ohishi, H., 953
Nishiyama, N. See Kawahara, S., 1510
Noh, S. H.
—; Choi, H. S.; Noh, S. T.: Synthesis and Application of Water-Based Urethane Acrylate Crosslinking Agent Containing Unsaturated Group, 1216
Noh, S. T. See Noh, S. H., 1216
Nonaka, T.
—; Yamada, K.; Watanabe, T.; Kurihara, S.: Preparation of Superabsorbent Polymer Hydrogels from Trialkyl-4-vinylbenzyl Phosphonium Chloride–Acrylamide–Methylenebisacrylamide Terpolymers and Their Properties, 1833
Nor, H. M. See Nasef, M. M., 2443
Norton, I. T. See Lozinsky, V. I., 371
Nunes, R. C. R. See Gorelova, M. M., 1964
Núñez, L.
—; Fraga, F.; Núñez, M. R.; Villanueva, M.: Lifetime Prediction of the Epoxy System Badge n = 0/1,2 DCH by Thermogravimetric Analysis, 1239
Núñez, M. R. See Núñez, L., 1239

Obolonkova, E. S. See Gorelova, M. M., 1964
Ogawa, T. See Burillo, G., 972
Ogbobe, O. See Igwe, I. O., 1826
Oh, S. B. See Yeom, C. K., 1645
Ohguchi, M. See Shimizu, T., 392
Ohishi, H.
—; Kishimoto, S.; Nishi, T.: Optical Properties of Polystyrene and Polyarylate Block Copolymer and Their Control by Morphology Generation, 953
Ohlsson, B. See Halldén, Å., 2416
Ohtani, H. See Kiura, M., 2140
Okamoto, H. See Hasegawa, N., 1918
Olkhov, Y. A. See Jurkowska, B., 732
Olley, R. H. See Amornsakchai, T., 787
Olmeijer, D. L. See Diefenbach, U., 650
Omi, S. See Yuyama, H., 1025
Ong, E. L.
—; Characterization of New Latex-Timber Clones of Natural Rubber, 1517
Oren, S.
—; Caykara, T.; Kantoglu, O.; Guven, O.: Effect of pH, Ionic Strength, and Temperature on Uranyl Ion Adsorption by Poly(N-Vinyl 2-Pyrrolidone-g-Tartaric Acid) Hydrogels, 2219

Ortiz, U. See González, V., 850
Ott, H. See Lach, R., 2037
Ou, C.-F.
—; Study on Co poly(butylene terephthalate-*p*-oxybenzoate)} Thermotropic Copolyester. II. Thermal Behavior and Crystalline Morphology, 2363
Öz, N.
—; Akar, A.: Low Molecular Weight Polyacrylic Acid with Pendant Aminomethylene Phosphonic Acid Groups, 870
Özdemir, A.
—; Tuncel, A.: Boronic Acid–Functionalized HEMA-Based Gels for Nucleotide Adsorption, 268
Özer, F.
—; Beşkardeş, M. O.; Pişkin, E.: Methacrylate-Based Nanoparticles Produced by Microemulsion Polymerization, 569
Özkan, G. See Denizli, A., 81

Packirisamy, S. See Abraham, G., 1729; Mathew, A. P., 2327
Pakjamsai, C.
—; Suwanprateeb, J.: Using FT-Raman Spectroscopy for Quantitative Determination of High Filler Content in Particulated Composites, 1947
Palaty, S.
—; Joseph, R.: Xanthate Accelerators for Low Temperature Curing of Natural Rubber, 1769
Pan, J. Q.
—; Quek, P. W.; Liu, N. C.; Lau, W. W. Y.: Synthesis of New Polymeric Stabilizers for Polymers, 403
Pan, Y. See Zhang, X.-W., 424
Pandey, S. S. See Ramanathan, K., 662
Park, C. R. See Kang, S. J., 118
Park, C.-S.
—; Lee, K.-J.; Nam, J.-D.; Kim, S.-W.: Crystallization Kinetics of Glass Fiber Reinforced PBT Composites, 576
Park, H.-J. See Kweon, D.-K., 986
Park, J.-G.
—; Kim, D.-H.; Suh, K.-D.: Blends of Polyethyleneterephthalate with EPDM through Reactive Mixing, 2227
Park, K.-Y. See Kim, D.-H., 1017
Park, M.-J.
—; Ahn, S.-M.; Rhee, H.-K.: Kinetic Parameter Estimation for the MMA/MA Copolymerization System, 2554
Park, M. S. See Lyoo, W. S., 438
Park, S. See Hong, K., 894
Park, S.-J. See Kwak, G.-H., 290
Pathak, J. A.
—; Van Gurp, M.: Rheology of a Miscible Blend of SAN and SMA, 1245
Patil, R. D. See Dalev, P. G., 1341
Peethambaran, N. R. See Kurian, J. K., 304
Pegoretti, A.
—; Guardini, A.; Migliaresi, C.; Ricco, T.: Investigation of Nonelastic Response of Semicrystalline Polymers at High Strain Levels, 1664
Pekař, M.
—; On the Miscibility of Liquid Polybutadienes, 1628
Penco, M.
—; Bignotti, F.; Sartore, L.; D'Antone, S.; D'Amore, A.: Multiblock Copolymers Based on Segments of Poly(D,L-lactic-glycolic acid) and Poly(ethylene glycol) or Poly(ϵ-caprolactone): A Comparison of Their Thermal Properties and Degradation Behavior, 1721
Peng, S. See Gao, Y., 20
Pérez-Rodríguez, A.
—; Alla, A.; Fernández-Santín, J. M.; Muñoz-Guerra, S.: Poly(ester amide)s Derived from Tartaric and Succinic Acids: Changes in Structure and Properties upon Hydrolytic Degradation, 486
Periyasamy, M. See Dunne, R. C., 430
Pertsin, A. J. See Gorelova, M. M., 1964
Pesetskii, S. S.
—; Jurkowski, B.; Koval, V. N.: Compatibility, Adhesional Interaction of Components, Impact Strength, and Rheological Behavior of Polycarbonate/Polycarbonate-Siloxane Block Copolymer, 858
Petrovicova, E.
—; Knight, R.; Schadler, L. S.; Twardowski, T. E.: Nylon 11/Silica Nanocomposite Coatings Applied by the HVOF Process. II. Mechanical and Barrier Properties, 2272
Pfromm, P. H. See Carr, W. W., 2425
Phinyocheep, P.
—; Duangthong, S.: Ultraviolet-Curable Liquid Natural Rubber, 1478
Pike, W. C. See Warakomski, J. M., 2008
Pillai, C. K. S. See Menon, A. R. R., 1811
Pintauro, P. See De Kee, D., 1250
Pişkin, E. See Özer, F., 569
Pittman, C. U., Jr. See Xu, X., 1402
Pizzi, A. See Neyertz, S., 1939
Plummer, C. J. G. See Gupta, B., 1083
Poelt, P.
—; Ingolic, E.; Gahleitner, M.; Bernreitner, K.; Geymayer, W.: Characterization of Modified Polypropylene by Scanning Electron Microscopy, 1152
Pohlers, G. See Coenjarts, C., 1897
Pojman, J. A. See Chekanov, Y. A., 2398
Price, P. E., Jr.
—; Cairncross, R. A.: Optimization of Single-Zone Drying of Polymer Solution Coatings Using Mathematical Modeling, 149
Pumphrey, J. See Akerlund, J., 2213

Qi, G. R. See Qian, J. W., 836
Qi, Z. See Ke, Y., 808
Qian, J. W.
—; Li, J.; Zhou, G. H.; Qi, G. R.: Association of Ethylene Vinyl Acetate Copolymer in Dilute Solutions. V. Stability and Pour Point Depression to Wax Solutions, 836
Qiang, W. See Boey, F. Y. C., 511
Qin, H. H.
—; Dong, J. H.; Qiu, K. Y.; Wei, Y.: Synthesis and Characterization of Poly(methyl acrylate-*co*-

anhydride)/TiO_2 Hybrid Materials via Sol–Gel Process, 1763
Qiu, K. Y. See Qin, H. H., 1763
Quek, P. W. See Pan, J. Q., 403

Radhakrishnan, R. See Vinay, M. N., 1737
Radi, S.
—; Ramdani, A.; Lekchiri, Y.; Morcellet, M.; Crini, G.; Janus, L.; Martel, B.: Extraction of Metal Ions from Water with Tetrapyrazolic Macrocycles Bound to Merrifield Resin and Silica Gel, 2495
Raghavan, D.
—; Egwim, K.: Degradation of Polyester Film in Alkali Solution, 2454
Rajendran, V. See Balakrishnan, T., 2075
Ramanathan, K.
—; Pandey, S. S.; Kumar, R.; Gulati, A.; Surya, A.; Murthy, N.; Malhotra, B. D.: Covalent Immobilization of Glucose Oxidase to Poly(*O*-Amino Benzoic Acid) for Application to Glucose Biosensor, 662
Ramaswamy, R. See Abraham, G., 1729
Ramdani, A. See Radi, S., 2495
Rami Reddy, A. V. See Balaji, R., 1412
Rana, A. K. See Dash, B. N., 1671
Rana, S. K.
—; Coupling Mechanism and Fatigue Behavior of Vinyl Triethoxysilane-Treated Carbon Black—Styrene–Butadiene Rubber Vulcanizate, 2235
—; Chandra, R.: Mechanistic Study of Fatigue Behavior of Vinyltriethoxysilane-Coupled Carbon Black/Styrene-Butadiene Rubber Vulcanizate, 25
Rao, Y. See Dunne, R. C., 430
Ratna, D.
—; Banthia, A. K.; Deb, P. C.: Toughening of Epoxy Resin Using Acrylate-Based Liquid Rubbers, 716
Rätzsch, M. See Lazár, M., 886
Ravishankar, S. See Vinay, M. N., 1737
Ray, A. K. See Zhou, F., 1439
Reedijk, J. See Hendrikse, K. G., 2290
Regnier, N.
—; Fayos, M.; Lafontaine, E.: Solid-State ^{13}C-NMR Study on Bismaleimide/Diamine Polymerization: Structure, Control of Particle Size, and Mechanical Properties, 2379
Reichelt, N. See Lazár, M., 886
Reis, R. L. See Mano, J. F., 2345
Reyneke-Barnard, C. P.
—; Gradwell, M. H. S.; McGill, W. J.: *N,N′*-Pentamethylenethiuram Disulfide and *N,N′*-Pentamethylenethiuram Hexasulfide Accelerated Sulfur Vulcanization. III. Vulcanization of Polyisoprene and 2,3-Dimethyl-2-butene in the Absence of ZnO, 1100
—; Gradwell, M. H. S.; McGill, W. J.: *N,N′*-Pentamethylenethiuram Disulfide and *N,N′*-Pentamethylenethiuram Hexasulfide Accelerated Sulfur Vulcanization. IV. Vulcanization of Polyisoprene and 2,3-Dimethyl-2-butene in the Presence of ZnO, 1112
Reyx, D. See Brosse, J. C., 1461
Rhee, H.-K. See Jeong, B.-G., 1256; Park, M.-J., 2554
Rhim, J. W. See Yeom, C. K., 1645
Ribes-Greus, A. See Contat-Rodrigo, L., 1707
Ricco, T. See Pegoretti, A., 1664
Riedl, B. See Jandura, P., 1354
Ritoit-Gillier, S. See Brosse, J. C., 1461
Roje, U. See Klarić, I., 166
Rong, M. Z. See Tan, S. T., 2174
Roux, C.
—; Denault, J.; Champagne, M. F.: Parameters Regulating Interfacial and Mechanical Properties of Short Glass Fiber Reinforced Polypropylene, 2047

Sachdeva, R. See Bajpai, A. K., 1656
Sadoun, T. See Djidjelli, H., 685
Saha, A. K.
—; Das, S.; Basak, R. K.; Bhatta, D.; Mitra, B. C.: Improvement of Functional Properties of Jute-Based Composite by Acrylonitrile Pretreatment, 495
Saidi, H. See Nasef, M. M., 2443
Saiter, J. M. See Devallencourt, C., 1884
Sakai, Y. See Matsuguchi, M., 1744
Sakalis, A. J. See Karayannidis, G. P., 200
Sales, M. J. A.
—; Serra, O. A.; De Barros, G. G.: Energy Transfer to Eu(III) in the Solid-State Low-Density Polyethylene–Poly(acrylic acid) and Low-Density Polyethylene–Fe_2O_3–Poly(acrylic acid) Matrices, 919
Sanches, N. B. See Gorelova, M. M., 1964
Sánchez, F. See Velázquez, R., 586
Santos Rodríguez, F. J.
—; Hummel, K.: Evidence of Ionic Components in Vulcanization Mixtures by Means of Electric Current Measurements: Investigations with Natural Rubber/Sulfur/Zinc Bis(dimethyldithiocarbamate) and Comparison Mixtures, 2206
Sarma, D. S. See Carr, W. W., 2425
Sarmadi, M. See Ganapathy, R., 1783
Sartore, L. See Penco, M., 1721
Sasinková, V. See Ebringerová, A., 1191
Sato, M.
—; Endo, S.; Araki, Y.; Matsuoka, G.; Gyobu, S.; Takeuchi, H.: Flame Retardant Polyester Fiber—Improvement of Hydrolysis Resistance, 1134
Saxena, N. S. See Agarwal, R., 603
Scaiano, J. C. See Coenjarts, C., 1897
Schadler, L. S. See Petrovicova, E., 2272
Schitter, R. M. E.
—; Jocham, D.; Stelzer, F.; Moszner, N.; Völkel, Th.: Novel

Routes to Polyelectrolytes and Reactive Polymers Via ROMP, 47
Schlup, J. R. See Zeng, J., 1224
Schultz, J. See David, M. O., 1486
Schwalm, R.
—; Binder, H.; Funhoff, D.: A New Environmentally Stable Protective Group for Deep UV Resists: Methoxy(tetrahydropyranyl) Ether, 208
Serra, O. A. See Sales, M. J. A., 919
Severe, G.
—; White, J. L.: Physical Properties and Blend Miscibility of Hydrogenated Acrylonitrile-Butadiene Rubber, 1522
Seyvet, O.
—; Navard, P.: Collision-Induced Dispersion of Agglomerate Suspensions in a Shear Flow, 1130
Shanks, R. A. See Drummond, K. M., 1009
Shantarovich, V. P. See Khotimskii, V. S., 1612
Sharifi-Sanjani, N.
—; Mahdavian, A. R.; Bataille, P.: Emulsion Polymerization of Styrene and DEAEMA with a Core–Shell Structure, 1977
—; See Abedi, S., 2533
Shashidhara, G. M. See Vinay, M. N., 1737
Shen, J. See Li, G., 668, 676; Liu, W., 1275; Wang, G., 2180
Shen, K. See Chen, L.-M., 1906, 1911
Sheng, J. See Song, Y.-Q., 979
Shi, S. See Carr, W. W., 2425
Shibata, J. See Horiuchi, K., 1312
Shieh, J.-Y.
—; Wang, C.-S.: Synthesis and Properties of Novel Phosphorus-Containing Hardener for Epoxy Resins, 1636
Shimazu, A. See Miyazaki, T., 1818
Shimizu, T.
—; Nagara, A.; Kaji, A.; Higashiura, S.; Ohguchi, M.: Preparation of an Acrylics-Grafted Polyester and Its Aqueous Dispersion—Structural Study of Acrylics-Grafted Polyesters, 392
Shin, D.-K. See Shin, S.-M., 2464
Shin, S.-M.
—; Shin, D.-K.; Lee, D.-C.: Toughening of Epoxy Resins with Aromatic Polyesters, 2464
Shiraishi, N. See Lee, S.-H., 311, 319
Sideridou, I. D. See Karayannidis, G. P., 200
Simonsick, W. J., Jr. See Ganapathy, R., 1783
Singh, B. See Kaur, I., 1171
Singhal, R. See Gupta, N. K., 2104; Jain, A. K., 2089
Sitaraman, S. K. See Dunne, R. C., 430
Skushnikova, A. I. See Danilovtseva, E. N., 101
Slawinski, M.
—; Meuldijk, J.; Van Herk, A. M.; German, A. L.: Seeded Emulsion Polymerization of Styrene: Incorporation of Acrylic Acid in Latex Products, 875
Sliepcevich, A.
—; Storti, G.; Morbidelli, M.: Measurement of Diffusivity and Solubility of Olefins in Polypropylene by Gas Chromatography, 464
Soerens, D. See Mueller, C., 816
Song, K.
—; Formation of Polymorphic Structure and Its Influences on Properties in Uniaxially Stretched Polybutylene Terephthalate Films, 412
Song, Y.-Q.
—; Sheng, J.; Wei, M.; Yuan, X.-B.: Surface Modification of Polysulfone Membranes by Low-Temperature Plasma–Graft Poly(ethylene glycol) onto Polysulfone Membranes, 979
Spies, H. S. C. See Yaniç, C., 109
Sreekala, M. S. See Agarwal, R., 603
Srichantamit, L. See Suchiva, K., 1495
Sroková, I. See Ebringerová, A., 1191
Stadler, R. See Lach, R., 2037
Stelzer, F. See Schitter, R. M. E., 47
Stephan, M. See Kelnar, I., 1597
Stewart, F. F. See Harrup, M. K., 1092
Stolarski, T. A. See Al-Sabti, S. I., 2311
Storti, G. See Sliepcevich, A., 464
Stromburg, B. E. See Diefenbach, U., 650
Su, W.-F. A.
—; Chen, K. C.; Tseng, S. Y.: Effects of Chemical Structure Changes on Thermal, Mechanical, and Crystalline Properties of Rigid Rod Epoxy Resins, 446
Suarez, J. C. M.
—; Mano, E. B.; Tavares, M. I. B.: Tensile Behavior of Irradiated Recycled Polyolefin Plastics, 899
Subrahmanian, V.
—; Ganapathy, S.: Ranking of Rubber Vulcanizates Used as Seals Based on Effect of Accelerated Aging, 2500
Subramanian, K. See Balaji, R., 1412
Suchiva, K.
—; Kowitteerawut, T.; Srichantamit, L.: Structure Properties of Purified Natural Rubber, 1495
—; White, J. L.; Tanaka, Y.: Preface to Special Issue: Contributions from the Seventh International Seminar on Elastomers, 1459
—; See David, M. O., 1486
Sudarisman, A. See Bedia, E. L., 1200
Sudha, J. D. See Menon, A. R. R., 1811
Sugiyama, J. See Matsumura, H., 2242
Suh, K.-D. See Kim, D.-H., 1017; Lee, C.-Y., 1853; Park, J.-G., 2227
Sui, Y. See Zhang, L., 1873
Sumera, F. See Bedia, E. L., 1200
Sun, X. S. See Zhong, Z. K., 1063
Supaphol, P.
—; Nonisothermal Bulk Crystallization and Subsequent Melting Behavior of Syndiotactic Polypropylenes: Crystallization from the Melt State, 338
Surya, A. See Ramanathan, K., 662

Suwanprateeb, J. See Pakjamsai, C., 1947
Suzuki, H.
—; Takeishi, M.; Narisawa, I.: Synthesis of Polysiloxane-Grafted Fluoropolymers and Their Hydrophobic Properties, 1955
Svyatkina, L. I. See Danilovtseva, E. N., 101
Swaminathan, K.
—; Marr, D. W. M.: Morphology Characterization of High-Impact Resistant Polypropylene Using AFM and SALS, 452
Swart, P. See Yaniç, C., 109
Sylla, M. See Dossot, M., 2061

Taimoori, M.
—; Modarress, H.; Mansoori, G. A.: Generalized Flory–Huggins Model for Heat-of-Mixing and Phase-Behavior Calculations of Polymer–Polymer Mixtures, 1328
Takagishi, T. See Haga, T., 364
Takahashi, K. See Yang, B., 1431
Takeishi, M. See Suzuki, H., 1955; Yang, B., 1431
Takeuchi, H. See Sato, M., 1134
Takezawa, Y.
—; Itoh, Y.: Analysis of the Correlation between Optical Transmission Loss and Weight Loss of Thermally Deteriorated Epoxy Resins Using Near Infrared Spectroscopy, 14
Tan, J. See Li, G., 133
Tan, S. T.
—; Zhang, M. Q.; Rong, M. Z.; Zeng, H. M.; Zhao, F. M.: Interfacial Interaction in Stainless Steel Fiber-Filled Polypropylene Composites, 2174
Tanaka, H. See Wang, F., 1805
Tanaka, Y. See Kawahara, S., 1510; Suchiva, K., 1459
Tangboriboonrat, P.
—; Kuhakarn, S.; Tiyapiboonchaiya, C.: Applications of Phase Transfer Technique to the Study and Development of Natural Rubber, 1505
Tang, C. See Wang, Y., 1879
Tang, J. See Zhang, J., 704
Tasaka, S. See Inagaki, N., 2389; Kawabe, M., 1392
Tavares, M. I. B.
—; D'Almeida, J. R. M.; Monteiro, S. N.: ^{13}C Solid-State NMR Analysis of the DGEBA/TETA Epoxy System, 2358
—; See Suarez, J. C. M., 899
Tegou, E. See Beltsios, K., 2145
Thomas, S. See Agarwal, R., 603; Aprem, A. S., 941; George, S. C., 1280; Mathew, A. P., 2327
Tian, W. See Wang, G., 2180
Timm, D. C. See Akerlund, J., 2213
Tiyapiboonchaiya, C. See Tangboriboonrat, P., 1505
Toghiani, H. See Xu, X., 1402
Topolkaraev, V. See Mueller, C., 816
Torri, G. See Martel, B., 2166
Tregouet, Y. See Godoy, A., 2511
Tripathy, S. S. See Dash, B. N., 1671
Troev, K.
—; Tsekova, A.; Tsevi, R.: Chemical Degradation of Polyurethanes: Degradation of Flexible Polyester Polyurethane Foam by Phosphonic Acid Dialkyl Esters, 2565
Tsekova, A. See Troev, K., 2565
Tseng, C.-I See Huang, C.-Y., 800
Tseng, F.-P. See Lin, J.-J., 615
Tseng, S. Y. See Su, W.-F. A., 446
Tsevi, R. See Troev, K., 2565
Tshita, M. M. See Lin, D., 1315
Tsiao, J. See Hsiue, G.-H., 1
Tsuge, S. See Kiura, M., 2140
Tsujisaka, T. See Hirotsu, T., 1121
Tsukada, M.
—; Arai, T.; Winkler, S.: Chemical Modification of *Tussah* Silk with Acid Anhydrides, 382
Tsumura, M.
—; Iwahara, T.: Silicon-Based Materials Prepared by IPN Formation and Their Properties, 724
Tuncel, A. See Özdemir, A., 268
Twardowski, T. E. See Petrovicova, E., 2272

Uchida, Y. See Endo, K., 1621
Uezu, K. See Yoshida, M., 695
Unzué, M. J.
—; Urretabizkaia, A.; Asua, J. M.: Maximizing Production Rate and Scrub Resistance of Vinyl Acetate—VeoVa 10 Latexes, 475
Urretabizkaia, A. See Unzué, M. J., 475
Usuki, A. See Hasegawa, N., 1918

Van Gurp, M. See Pathak, J. A., 1245
Van Herk, A. M. See Slawinski, M., 875
Vassileva, E. See Dalev, P. G., 1341
Vecchi, C. See Martel, B., 2166
Velázquez, R.
—; Sánchez, F.; Yañez, R.; Castaño, V. M.: Synthesis of Shrinkage-Controlled Acrylic Copolymers, 586
Vergnes, B. See Carneiro, O. S., 1419
Villanueva, M. See Núñez, L., 1239
Vinay, M. N.
—; Ravishankar, S.; Girish, T. P.; Radhakrishnan, R.; Ananthapadmanabha, G. S.; Shashidhara, G. M.: Effect of Addition of Reprocessed Nylon 6 with Virgin Material for Roller Assembly Used in Printers, 1737
Vishwakarma, N. See Bajpai, A. K., 2122
Völkel, Th. See Schitter, R. M. E., 47
Volkov, I. O. See Gorelova, M. M., 1964
Vrandečić N. S. See Klarić, I., 166
Vu, A. D. See Lin, D., 1315

Wach, R. A. See Fei, B., 278
Wakida, T. See Haga, T., 364
Wang, C.
—; Jones, F. N.: Stability and Film Properties of Tung Oil Modified Soybean Alkyd Emulsion, 1698
Wang, C. L.
—; Chao, D. Y.: Study of Oxygen-Permeabile Polyurethane Ionomer (II), 1932
Wang, C. S. See Lin, C. H., 228
Wang, C.-S. See Shieh, J.-Y., 1636

Wang, F.
—; Tanaka, H.: Aminated Poly-*N*-Vinylformamide as a Modern Retention Aid of Alkaline Paper Sizing with Acid Rosin Sizes, 1805
Wang, G.
—; Wu, F.; Li, M.; Tian, W.; Chen, X.; Shen, J.: Synthesis and Properties of a Soluble Conjugated Polymer, Poly(2-methoxy-5-n-butoxy-p-phenylene vinylene), 2180
—; See Yang, J., 1869
Wang, K.
—; Mai, K.; Zeng, H.: Isothermal Crystallization Behavior and Melting Characteristics of Injection Sample of Nucleated Polypropylene, 2547
Wang, L. See Carr, W. W., 2425; Chen, D., 1057; Xu, X., 1402
Wang, Q. See Liu, C., 2191
Wang, Q.-H.
—; Xue, Q.-J.; Liu, W.-M.; Chen, J.-M.: Effect of Nanometer SiC Filler on the Tribological Behavior of PEEK under Distilled Water Lubrication, 609
Wang, S. See Huang, L., 237
Wang, T.-L.
—; Lee, H.-M.; Kuo, P.-L.: Functional Polymers for Colloidal Applications. XIV. Syntheses of Styrene—Maleic Anhydride Copolymers with Different Charges and Their Ability to Disperse Kaolinite Particles, 592
Wang, X.
—; Yan, J.; Zhou, C.: Swelling of Porous Copolymers Based on Alkyl Methacrylate Esters in Water, 250
Wang, X.-S.
—; Li, X.-G.; Yan, D.: Thermal Decomposition Kinetics of Thermotropic Poly(oxybenzoate-*co*-trimethylene terephthalate), 2025
Wang, Y.
—; Zhang, L.; Tang, C.; Yu, D.: Preparation and Characterization of Rubber–Clay Nanocomposites, 1879
—; See Zhang, L., 1873
Warakomski, J. M.
—; Pike, W. C.; Devries, R. A.: Benzocyclobutenes as Styrene Monomer Scavengers and Molecular Weight "Stabilizers" in Atactic and Syndiotactic Polystyrenes, 2008
Ward, I. M. See Amornsakchai, T., 787
Watanabe, T. See Nonaka, T., 1833
Wei, M. See Song, Y.-Q., 979
Wei, Y. See Qin, H. H., 1763
Weidisch, R. See Lach, R., 2037
Wesslén, B. See Halldén, Å., 2416
White, J. L. See Koolhiran, C., 1551; Severe, G., 1522; Suchiva, K., 1459
Wiley, D. E. See Iskander, G. M., 751
Wilkes, G. L. See Kaushiva, B. D., 766
Willson, T. R. See Lin, D., 1315
Winder, E. J.
—; Gleason, K. K.: Growth and Characterization of Fluorocarbon Thin Films Grown from Trifluoromethane (CHF_3) Using Pulsed-Plasma Enhanced CVD, 842
Winkler, S. See Tsukada, M., 382
Wong, C. P. See Dunne, R. C., 430
Wu, C. Y. See Lin, C. H., 228
Wu, F. See Wang, G., 2180
Wu, M.
—; Bao, B.; Chen, J.: Study on Antithrombosis Dialytic Membrane Prepared by Preirradiation Grafting, 1320
Wyser, Y.
—; Leterrier, Y.; Månson, J.-A. E.: Effect of Inclusions and Blending on the Mechanical Performance of Recycled Multilayer PP/PET/SiO_x Films, 910

Xanthopoulos, N. See Gupta, B., 1083
Xi, F. See Gong, A., 2186
Xiong, C. See Li, X., 140
Xue, J. See Gao, Y., 20
Xue, Q.-J. See Wang, Q.-H., 609
Xu, M. See Liu, W., 1275
Xu, W.
—; Liu, P.; Li, H.; Xu, X.: Effect of Electron Beam Irradiation on Mechanical Properties of High Density Polyethylene and Its Blends with Sericite-Tridymite-Cristobalite, 243
Xu, X.
—; Wang, L.; Toghiani, H.; Pittman, C. U., Jr.: Effect of Crosslinking on Mechanical and Viscoelastic Properties of Semiinterpenetrating Polymer Networks Composed of Poly(Vinyl Chloride) and Isocyanate Crosslinked Networks, 1402
—; See Xu, W., 243

Yamada, K. See Nonaka, T., 1833
Yamaura, K. See Horiike, S., 41
Yampolskii, Y. P. See Khotimskii, V. S., 1612
Yan, D. See Jiang, X., 1992; Wang, X.-S., 2025
Yan, J. See Wang, X., 250
Yan, L.
—; Zhu, Q.: Lower Critical Solution Temperature of Linear PNIPA Obtained from a Yukawa Potential of Polymer Chains, 1971
Yañez, R. See Velázquez, R., 586
Yang, B.
—; Kamidate, Y.; Takahashi, K.; Takeishi, M.: Unsteady Stirring Method Used in Suspension Polymerization of Styrene, 1431
Yang, C.-C. See Yang, C.-P., 1160
Yang, C.-P.
—; Liou, G.-S.; Yang, C.-C.; Chen, S.-H.: Synthesis and Characterization of New Rigid-Rod and Organosoluble Poly(amide–imide)s Based on 1,4-Bis(trimellitimido)-2,3,5,6-tetramethylbenzene, 1160
Yang, C. Z. See Yang, S. C., 517
Yang, J.
—; Wang, G.; Li, H.; He, B.; Chen, L.: Morphological Studies of Elongated PMMA by Excimer Formation, 1869
Yang, S. C.
—; Ge, H. X.; Hu, Y.; Jiang, X.-Q.; Yang, C. Z.: Doxorubicin-Loaded Poly(butylcyanoacrylate) Nanoparticles Produced by Emulsifier-Free Emulsion Polymerization, 517

Yanic, C.
—; Bredenkamp, M. W.; Jacobs, E. P.; Spies, H. S. C.; Swart, P.: NMR Spectroscopy as Basis for Characterization of Pluronic® F108 and Its Derivatives, 109
Yen, M.-S.
—; Huang, K.-S.: The Study of Rapid Curing Crease-Resistant Processing on Cotton Fabrics. Part I. The Effect of Chitosan on the Physical Properties of Processed Fabrics, 35
Yen, S.-H. See Lee, W.-F., 1604
Yeom, C. K.
—; Lee, S. H.; Lee, J. M.: Study of Transport of Pure and Mixed CO_2/N_2 Gases through Polymeric Membranes, 179
—; Oh, S. B.; Rhim, J. W.; Lee, J. M.: Microencapsulation of Water-Soluble Herbicide by Interfacial Reaction. I. Characterization of Microencapsulation, 1645
Yi, X. See Ke, Y., 808
Yi, X.-S. See Zhang, X.-W., 424
Yokoyama, K. See Matsumoto, A., 692
Yoon, H. G. See Chun, Y. S., 2488
Yoon, J. S. See Jang, L. W., 1998
Yoon, K. J. See Kim, B. C., 1267; Lee, M. H., 1986
Yoon, K.-J. See Kim, Y.-J., 1797; Lim, D.-W., 2525
Yoon, L. K.
—; Kim, B. K.: Compatibility of Poly(vinylidene fluoride) (PVDF)/Polyamide 12 (PA12) Blends, 1374
Yoon, W. S. See Lyoo, W. S., 438
Yoshida, M.
—; Uezu, K.; Goto, M.; Furusaki, S.: Surface Imprinted Polymers Recognizing Amino Acid Chirality, 695
—; See Kumazawa, H., 1845
Yoshii, F. See Fei, B., 278
Yoshioka, M. See Lee, S.-H., 311, 319
Yuan, G. See De Kee, D., 1250
Yuan, M. See Li, X., 140
Yuan, X.-B. See Song, Y.-Q., 979
Yuan, Y. See Chen, D., 1057
Yu, D. See Wang, Y., 1879; Zhang, L., 1873
Yu, H. See Jiang, X., 1992
Yu, H.-L. See Lin, S.-Y., 829
Yu, S.
—; Hing, P.: Dynamic Mechanical Properties of Polystyrene–Aluminum Nitride Composite, 1348
Yumoto, K. See Horiike, S., 41
Yuyama, H.
—; Hashimoto, T.; Ma, G.-H.; Nagai, M.; Omi, S.: Mechanism of Suspension Polymerization of Uniform Monomer Droplets Prepared by Glass Membrane (Shirasu Porous Glass) Emulsification Technique, 1025

Zaharescu, T.
—; Budrugeac, P.: Radiation Processing of Ethylene-Propylene Rubber, 298
Zaikov, G. E. See Mikheev, Y. A., 2435
Zamboulis, D. N. See Karayannidis, G. P., 200
Zampini, A. See Coenjarts, C., 1897
Zeng, H. See Mai, K., 1579; Wang, K., 2547
Zeng, H. M. See Tan, S. T., 2174
Zeng, J.
—; Schlup, J. R.; Fan, L. T.: Synthesis and Mechanical Properties of Leather–Epoxy Interpenetrating Polymer Networks, 1224
Zhang, D. See Jiang, X., 1992
Zhang, J.
—; Khong, K. T.; Kang, E. T.: Surface Passivation of Nylon-6,6 Films by Graft Copolymerization for Reduction of Moisture Sorption, 1366
—; Zhang, J.; Tang, J.: A Modified Method to Detect Surface Rheological Behavior of Mixed Partially Hydrolyzed Polyacrylamide (HPAM)/Surfactant Systems, 704
—; Zhang, L.-M.; Li, Z.-M.: Synthesis and Aqueous Solution Properties of Hydrophobically Modified Graft Copolymer of Sodium Carboxymethylcellulose with Acrylamide and Dimethyloctyl(2-methacryloxyethyl)ammonium Bromide, 537
Zhang, J. See Zhang, J., 704
Zhang, L.
—; Wang, Y.; Wang, Y.; Sui, Y.; Yu, D.: Morphology and Mechanical Properties of Clay/Styrene-Butadiene Rubber Nanocomposites, 1873
—; See Wang, Y., 1879
Zhang, L.-M. See Zhang, J., 537
Zhang, M. Q. See Tan, S. T., 2174
Zhang, S. See Mai, K., 1579
Zhang, X. See Gong, A., 2186
Zhang, X.-W.
—; Pan, Y.; Zheng, Q.; Yi, X.-S.: A New Polymer Composite Thermistor Having Double PTC Transitions, 424
Zhang, Y. See Li, X., 140
Zhao, F. M. See Tan, S. T., 2174
Zhao, J. See Ke, Y., 808
Zhao, M. See Gao, J., 794
Zhao, Q. See Chen, D., 1057
Zhao, X. See Huang, L., 631
Zheng, Q. See Zhang, X.-W., 424
Zhong, Y. See Jiang, X., 1992
Zhong, Z. K.
—; Sun, X. S.: Thermal and Mechanical Properties and Water Absorption of Guanidine Hydrochloride-Modified Soy Protein (11S), 1063
Zhou, C. See Wang, X., 250
Zhou, F.
—; Gupta, S. K.; Ray, A. K.: Multiobjective Optimization of the Continuous Casting Process for Poly(methyl methacrylate) Using Adapted Genetic Algorithm, 1439
Zhou, G. H. See Qian, J. W., 836
Zhou, Z. See Li, G., 133
Zhu, Q. See Yan, L., 1971
Zhu, Y. See Li, G., 668
Zupančič-Valant, A. See Kukanja, D., 67

Journal of Applied Polymer Science

Subject Index—Volume 78

AA, 2525
AAc, 800
ab initio, 355
Absorbency, 1797, 2525
Accelerators, 304
Acetylation, 1685
Acid anhydrides, 382
Acid distribution, 875
Acid loss, 1897
Acids, 2511
Acryl-amide, 259
Acrylamide—maleic acid hydrogels, 284
Acrylate, 1478
Acrylate rubber, 1001
Acrylic acid, 875
Acrylic emulsion, 67
Acrylic films, 458
Acrylic systems, 586
Acrylonitrile, 1171
Acrylonitrile monomer, 941
Activation energy, 603
Active sphere, 133
Activity, 2533
Acylation, 382
Addition, 2081
Adhesion, 1486
Adhesion promotion, 2518
Adhesive, 355
Adhesive strength, epoxy resin, 1729
Adsorption, 695, 933, 1656, 2122
AFM, 1083, 2254, 2262
Agglomerate, 1130
Aging, 2500
Alcohols, 1171
Alcohol-solubility, 1826
Alcoholysis, 1826
Alginic acid fiber, 1797
Alkali medium, 2454
Alkali treated bentonite, 1656
Alkali-soluble resin (ASR), 639
Alkyd emulsions, 1698
Alkyd resin, 1698
Alkyl methacrylate esters, 250
Alkyldithiocarbamic acids, 1100, 1112
α-Chymotrypsin, 1783
Alternating copolymer, 1998
Aluminum nitride, 1348
Aminated poly-*N*-vinylformamide, 1805
Amine termini, 109
Amino acid, 695
Amino acids, 2213
Aminolysis, 1923
Aminophenylboronic acid, 268
Aminopropyl, 1315
3-Aminopropyltriethoxysilane, 1763
Aminotri(methylene phosphonic acid), 870
Ammonia gas, 1312
Ammonia treatment, 364
Amorphous, 1531
Amperometric, 662
Amylopectin, 371, 1191
Amylose, 371, 1191
AN content, 1861
Anhydride formation, 829
Annealing, 1737
Antibacterial activity, 676, 1833
Antibacterial behavior, 676
Antimicrobial finish, 1986
Antioxidants, 304
Anti-scalent, 870
Antithrombosis, 1320
Aqueous medium in air, 1586
Aramid, 2198
Argon (Ar) plasma, 800
Aroma finish, 1986
Aromatic cosolutes, 507
Aromatic hydroxy acids, 2474
Aromatic poly(amide–imide)s, 1160
Aromatic polyester, 2464
Artificial mixtures, 371
Association, 836
Atactic polystyrene, 2008
Atomic force microscopy, 452, 1698, 2198, 2454
Atomic force microscopy/friction force microscopy, 631
ATR, 1083
ATRP, 1992
Augis–Bennett method, 338
Avrami analysis, 338
Azole, 101
Azomethine, 446
Batch, 2554
Batch reactor, 1256
Benzocyclobutene, 2008
Benzoic acids, 972
β-Cyclodextrin, 1986
β-Hydroxy-ethyl methacrylate, 1320
Biaxial self-reinforcement, 1906, 1911
Bimaterial, 173
Bimodal distribution, 452
Biodegradable, 2474
Biodegradation, 1121, 2242, 2369
Bioerodible polymers, 1721
Biomaterials, 2345
Biphenol, 446
Birefringence, 953
Bismaleimide, 2379
Bisphenol A, 615
Bisphenol S epoxy resin, 794
Bistriazolinediones, 527
1,4-Bis(trimellitimido)-2,3,5,6-tetramethylbenzene, 1160
Blend, 67, 962, 1017, 1381, 2089, 2198
Blend miscibility, 1522
Blending, 759
Blends, 850, 1009, 1280, 1811, 1964, 1998, 2488
Block copolymer, 858, 953
Block copolymers, 1721, 2037
Bound rubber, 1542
Box counting method, 1555
Branching, 751
Breathable films, 816
Brewster angle microscope, 704
B-staged resin, 724
Butadiene, 1621
Butylcyanoacrylate nanoparticles, 517
Cadmium(II), 81
Capillary, 759
Carbon black, 25, 2540
Carbon black dispersion, 1555
Carbon black-filled PNR, 1495
Carbon dioxide, 1845
Carbonyl group, 1392
Carboxymethylcellulose, 537

Carboxymethylcellulose (CMC), 278
Casein, 1656
Catalytic polymerization, 464
Cation-exchange resins, 1312
Cationic copolymerization, 1044
Cellulose, 1884, 1939
Cellulose crystallinity, 61
Cellulose esters, 2242, 2254, 2262
Ceric(IV) initiation, 1586
Chain structure, 20
Chain transfer, 217
Characterization, 403, 668, 1071, 2474
Charpy impact test, 2037
Chemical compatibility, 173
Chemical computation, 355
Chemical degradation, 2565
Chemical modification, 382, 1461
Chemical reaction, 2227
Chemical recycling, 2565
Chitin, 850
Chitosan, 35, 850, 1381
Chitosan microcapsule, 1645
Chloro-butyl, 2290, 2302
Chlorosulfonated polyethylene, 707
4-4′-Chlorocinnamoyl)phenyl methacrylate, 1412
Chromium(III) acetylacetonato, 1621
Clay, 1873
Cloud points, 507
^{13}C-NMR, 1354, 2379
CO_2 sorption, 1744
Coalescence rate, 1431
Coating, 1955, 2454
Cocondensation reaction, 1884
Coexistence curve, 1971
Collision flow, 1130
Colloidal application, 592
Comacrodiol, 1071
Comb-shaped polymer, 1531
Commercial PP impact copolymer, 1200
Compatibility, 1374, 2227, 2488
Compatibility and molecular weight, 1776
Compatibilization, 850, 910, 2037, 2416
Compatibilizer, 1998
Complex, 101
Composite, 173, 424, 495, 1685, 1884
Composites, 787
Conductive polymer composites, 2174
Conductivity, 2511
Conjugated diene butyl, 2290
Conjugated polymer, 2180
Contact angles, 1121
Conversion, 511
Copoly(aryl ether ketone), 20
Copolycondensation, 2474
Copolyester, 2025, 2363
Copolymer, 1680
Copolymer polyol, 766
Copolymerization, 190, 259, 1412, 1531, 2554
Copolymers, 200, 1522
Copper(II), 81
Core–shell, 1977
Corn bran, 311, 319
Cornering, 1566
Corrosion protection, 2518
Cotton fabric, 35
Cotton fiber, 364, 1986
Counterion binding, 1680
Coupling agent, 808
Coupling agents, 1685
Coupling effect, 179
Coupling mechanism, 2235
Covalent immobilization, 662
CPE modifier, 166
Crack propagation, 2311
Crease-resistant processing, 35
Critical quencher concentration, 133
Crosslink density, 1341, 1769
Crosslinked polymers, 2140
Crosslinking, 278, 298, 624, 1233, 1797
Cross-linking level, 2104
Crosslinking reactions, 886
Crosslinking structure, 1744
Crystal structure, 1939
Crystalline growth, 576
Crystalline morphology, 2363
Crystalline phase, 364
Crystalline structure, 1200
Crystallinity, 364
Crystallite size, 364
Crystallization, 1751, 2416
Crystallization behavior, 1510
Crystallization kinetics, 576, 603
Cure kinetics, 430
Curing, 124, 543, 707
Curing treatment, 35
Cyanoethylation, 495

DEAEMA, 1977
Decabromobiphenyl oxide, 2134
Defects, 149
Deformation, 1964
Degradable polyolefins, 1707
Degradation, 140, 304, 886, 1461, 1591, 1923, 2454
Degradation kinetics, 2025
Degradation mechanism, 140
Degree of substitution, 438
Degree of substitution (DS), 278
Delay stability, 208
Deproteinized natural rubber, 1510
Diad tacticity, 2140
4,4′-Diaminodiphenylmethane, 794
Dielectric losses, 2540
Dielectric thermal analysis, 743
Diels—Alder-ene polymerization, 527
Die-swell, 759
Diethyl phosphonate, 2565
Differential scanning calorimetry, 61, 829, 1579, 1707, 2166, 2363
Differential scanning calorimetry (DSC), 430
Diffusion, 149, 217, 941, 1250, 1304
Diffusion coefficient, 179
Diffusivity, 464
Diisocyanate-terminated polycaprolactone, 986
Diketopiperazine, 2213
Dilatometry, 1510
Dimensional stability, 495, 1737
Dimentionality, 603
Dimethyl phosphonate, 2565
(Dimethylamino)propylmethacrylamide, 268
Dimethyldimethoxysilane, 1932
Diol-terminated poly(ϵ-caprolactone), 1721
Direct polycondensation, 2464
Discoloration, 304
Dispersed rigid polymer and elastomer, 1597
Dispersion, 1130
DMA, 2345
DMF-SO_3 complex, 2525
Doping, 2511
DOPO, 228
Double positive temperature coefficient, 424
Doxorubicin, 517
Drying model, 149
DSC, 200, 650, 1009, 1275, 1861
DSC curves, 166
Dual-mode mobility model, 1845
DUV photoresists, 208
Dynamic crosslinking, 2104
Dynamic mechanical properties, 639, 962, 1280, 2089
Dynamic mechanical thermal analysis, 326, 743, 1348, 1402
Dynamic quenching, 133

Dynamic TG, 1057
Dynamic TG analysis, 166
Dynamic-mechanical spectroscopy, 1707

Elastomer, 1531
Electric current measurements, 2206
Electric property, 724
Electrical property, 424
Electroluminescence, 2180
Electromagnetic interference shielding, 2174
Electron beam irradiation, 243
Electron microscopy, 787
Electron spin resonance (ESR), 2511
Electronic packaging, 1348
Elongation, 1250
Emulsifier-free emulsion polymerization technique, 517
Emulsifying activity, 1191
Emulsion, 1977
Emulsion polymerization, 217, 475
Enantioselectivity, 695
Energy transfer, 133, 919
Enthalpy relaxation, 200
Enzyme immobilization, 1783
EP copolymer, 1152
EPDM, 2540
Epichlorohydrin, 1531
Epoxidized liquid natural rubber, 1478
Epoxy, 228, 446, 716, 1224
Epoxy curatives, 1729
Epoxy (EP) resins, 1139
Epoxy modifier, 2464
Epoxy novolac resin, 2145
Epoxy resin, 14, 615, 808, 2464
Epoxy resins, 1, 1239, 2358
Epoxy toughing, 2464
Epoxy–imide, 1729
Esterification, 2075
Estimation, 2554
Etching, 1923
Ethylene, 2318
Ethylene diamine, 81
Ethylene vinyl acetate, 707
Ethylene–vinyl acetate, 1320
Ethylene-propylene rubber, 298
Ethylene-propylene-diene rubber, 2089
2-Ethylhexyl acrylate, 716
Eudragit RS, RL, E 30D, E, thermal stability, 829
EVA, 836
Excimer fluorescence, 1869
Experimental design, 2405
Extrusion, 759

Fastness, 2425
Fatigue behavior, 2235
Fatigue resistance property, 90
Fatigue to failure (FTF) cycles, 25
Fiber, 1134
Fickian diffusion, 41
Filament, 1923
Filled polyetheretherketone (PEEK) composite, 609
Filled polyethylene, 816
Filled polypropylene, 816
Filled rubber materials, 1542
Filler agglomerate, 1551
Filler content, 1947
Filler–elastomer interactions, 1542
Fillers, 326
Film casting, 1439
Films, 1275, 1897, 2389
Finite element method, 1566
Flame retardancy, 1, 228, 1636
Flame retardant, 2134
Flame retardants, 1134
Flexible polyester polyurethane foam, 2565
Flory–Huggins, 1328
Flow visualization, 1551
Fluorescence quenching, 133
Fluorinated siloxane, 1315
Fluorocarbon film, 842
Fluoromonomer, 1366
Fluoropolymer, 1955
Flux transient, 179
Foam stabilization, 1191
Force field, 1939
Formaldehyde, 355
Formulations, 2500
Fourier transform infrared spectroscopy, 2166
Fractal, 1555
Fraction of taut tie molecules, 90
Fracture, 899, 1275
Fracture mechanics, 2037, 2089
Free volume, 1245
Freeze–thaw-induced precipitation, 371
Friction coefficient, 800
Frontal polymerization, 2398
FTIR, 894
FTIR spectra, 1341
FTIR–DRIFT, 1354
FT-Raman, 1947
Fuller's earth, 2122
Functional polymer, 668, 676
Functionalization, 1171, 2191
Functionally gradient material (FGM), 2398

Gamma radiation, 899
γ-Cyclodextrins, 2166
Gas chromatography, 464
Gas permeability, 1612
Gas permeation, 179
Genetic algorithm, 1439
Glass fiber reinforced poly(butylene terephthalate), 576
Glass fibers, 2047
Glass transition, 511, 1522
Glass transition temperature, 603, 624, 794
Glass transition temperatures, 558
Glassy polymers, 1612
Glucose oxidase, 662
Glycerol, 319
Glycol triblock polymers, 109
Glycoprotein, 268
GOTMS, 2186
GPC, 650
Graft copolymer, 537, 1381
Graft copolymerization, 1366, 1586
Graft poly(ethylene glycol), 979
Graft polymerization, 2166
Grafted polyester, 392
Grafted polyethylene film, 972
Grafting, 1233, 1955, 1986
Grafting level, 2047
Guanidine hydrochloride, 1063

Heat resistance, 1001
Heat treatment, 237
Heat-resistance, 1992
Heavy metal removal, 81
Hetero-associated hydrogen bonds, 1179
1-Hexene, 2318
High alkaline resistance, 118
High density interconnect-printed wiring boards (HDI-PWB), 430
High density polyethylene, 243, 424, 2016
High molecular mass, 1531
High molecular weight stabilizers, 403
High temperature thermoluminescence glow curve, 90
High yield, 438
High-density polyethylene, 1017
High-strength PVA fiber, 237
High-value products recycled technology, 1573
Hollow fibers, 8
HPAM, 704

HVDF, 2272
Hybrid, 67
Hybrid catalysts, 2318
Hybrid material, 1763
Hydration, 1304
Hydrogel, 41
Hydrogels, 284, 1833, 2219
Hydrogen bond, 624
Hydrogen bonding, 1932
Hydrogenated acrylonitrile-butadiene rubber, 1522
Hydrogen-bond network, 1939
Hydrolysis resistance, 1134
Hydrolytic degradation, 486, 2474
Hydrophilic, 1092
Hydrophobic association, 537
Hydroxamic acid, 751
Hydroxy-containing linear polyester, 1179
Hydroxyethylmethacrylate, 268
Hydroxyl value, 986
Hydroxymethyl acrylamide, 2191
Hygrothermally decomposed polyurethane (HD-PUR), 1139
Hyperbranched copolymer, 1992

Image processing, 1152
Imide–diacids, 1729
Impact modification, 1139
Impact properties, 962, 1267
Impact strength, 858, 1861, 2089, 2227
Improved mechanical performance, 118
Infrared spectroscopy, 326, 1680
Inherent viscosity, 527
Initiator concentration trajectory, 1256
Injection molding, 1751
Insert-mold, 173
Insoluble pyridinium-type polymer, 668, 676
Interaction parameter, 1328
Interface, 2174
Interfacial force, 1179
Interfacial interactions, 2047
Interfacial reactions, 1645
Interlocking shish-kebab morphology, 1911
Intermeshing rotor, 1551
Internal mixer, 1551
Interpenetrating networks, 2327
Interpenetrating polymer network, 724, 1381
Interpenetrating polymer networks (IPNs), 1224
Interphase adhesion, 858
Ion exchange, 919
Ion-exchange resins, 1312
Ionic components, 2206
Ionic conductivity, 1531
Ionic hard domains, 1853
Ionic strength, 2219
Ionic thermoplastic elastomer, 743
Ionomer, 919
Ionomers, 1932
Isoconversional method, 430
Isocyanate, 2227
Isocyanate content, 986
Isocyanates, 1402
Isoindoloquinazolinedione (IQ), 118
Isotactic polypropylene, 1751, 1906, 1911
Isotacticity, 2533
Isothermal crystallization, 2547
Itaconic acid, 228

Junctions' structure, 732
Jute fiber, 495
Jute–polyester composites, 1671

Kaolinite particles, 592
Kinetic crystallizability, 338
Kinetic model function, 1057
Kinetic parameters, 166, 2554
Kinetic study, 2075
Kinetics, 458, 2081
Kissinger method, 338

Laser fusion, 190
Latent initiator, 290
Latex thread, 304
Latex yield, 1517
Layered silicate, 808
LDPE, 1009
Lead(II), 81
Leather, 1224
Lifetime, 1239
Light emitting cells, 2180
Light emitting diodes, 2180
Liquefaction, 311, 319
Liquid, 2435
Liquid crystalline, 446
Liquid crystalline polymer, 1811
Liquid crystalline polymers, 2363
Liquid natural rubber, 1776
Liquid polybutadienes, 1628
Lithography, 2145
"Living"/controlled radical copolymerization, 1992
LLDPE, 1009
Long-chain organic acid cellulose esters, 1354
LoSatSoy, 1044
Loss, 2158
Low temperature curing, 1769
Low-density polyethylene, 1811
Lower critical solution temperature (LCST), 1971
Low-melting-point alloy, 424
Low-profile additives, 543, 558
Low-temperature plasma, 979
Lyocell fibers, 2254, 2262

Macrocyclic pyrazoles, 2495
Macromolecular modification, 190
Macromolecular structure, 2358
Magnetic microbeads, 81
Maleic acid, 228
Maleic anhydride, 2482
Mannich base, 615
Maximum entropy method, 1555
Mechanical properties, 290, 558, 1063, 1216, 1685, 1769, 1861, 1884, 1906, 2104, 2134, 2327, 2345, 2379, 2540
Mechanical property, 392, 724
Mechanism, 1100, 1112, 2302
Mechanochemistry, 2191
Melamine formaldehyde resin, 1884
Melt, 759
Melt blending, 1918
Melt rheology, 1811
Melt-and-compression molding, 724
Melting, 1751
Melting behavior, 338, 1579
Melting characteristics, 2547
Mercury(II), 81
Meso-lactide, 2369
Metal, 101
Metal coordination, 650
Metal ions, 2495
Metallocene, 1591
Metallocene catalyst, 2318
Metathesis, 47
Methacrylamide, 259
Methacrylate comonomers, 569
Methacrylic acid, 1209
Methacrylonitrile, 1171
Methanol tolerance, 1826
Methyl methacrylate, 259, 1412
Methyl methacrylate (MMA) sequences, 2140
Methylaluminoxane, 1621
Methylmethacrylate (MMA), 1256
Microcapsule, 1645
Microcapsules, 894
Microcrystalline cellulose, 61
Microemulsion polymerization, 569
Microencapsulation, 1645
Microfibrils, 2242
Microlayer coextrusion, 816
Microlithiography, 1897

Microstructure, 237, 1621
Microthermal analysis, 2254, 2262
Microtribological property, 631
Microvoid, 1744
Miscibility, 543, 639, 1628, 1861, 2435
Miscible blends, 1245
Mixed gas, 179
MMA/MA, 2554
Modeling, 124, 1419
Modification, 2242
Modified epoxy, 716
Modified gelatins, 1341
Moisture sorption, 1366
Molding, 311
Molecular dynamics, 1939
Molecular imprinting, 695
Molecular structure, 732
Molecular weight, 2533
Molecular weight distribution, 217
Molecular weight distribution (MWD), 1256
Molybdenum alkylidene, 47
Monoglyceride, 1698, 1826
Monomer scavengers, 2008
Morphology, 707, 766, 787, 1071, 1200, 1280, 2227, 2327, 2379, 2416
Morphology characterization, 452
Multilayer film, 910
Multiobjective optimization, 1439
MWD, 732

Nanocomposite, 808
Nanocomposite materials, 2186
Nanocomposites, 1873
Nanometer SiC, 609
Nanoparticles, 569
1-Naphthylacetyl chloride, 527
Natural fibers, 1685
Natural rubber, 1280, 1461, 1478, 1486, 1510, 1769, 1776, 2206, 2327
Natural rubber latex, 1505
Natural rubber tree, 1517
N-benzylpyrazinium hexafluoroantimonate (BPH), 290
NBR, 1861
N-cyclohexylmaleimide, 1992
Near infrared, 14
Network, 1486
Network structure, 1495
Neutral-alkaline sizing, 1805
New ketal-type protective group, 208
New poly(amide-imide-IQ) film, 118
NIR, 290
N-isopropylacrylamide, 1381
N-isopropylacrylamide, 1604
Nitrile rubber, 941
Nitro group, 438
NMR, 392, 2358
NMR spectroscopy, 109
N,N'-dipentamethylenethiuram sulfides, 1100
N,N'-methylene bisacrylamide, 2525
n-Octylacetate, 2075
Nonaqueous titration, 1315
Nonelastic deformation, 1664
Nonisothermal crystallization, 338
Nonrubber constituents, 1486, 1495
Norbornene dicarboxylic acid, 47
Novolak, 311
N-(*p*-carboxyphenyl), 259
Nuclear magnetic resonance, 1315
Nucleating agent, 2547
Nucleotide, 268
Numerical, 124
Nylon 11 coatings, 2272
Nylon 6, 1597
Nylon-6,6, 1366

Oil palm empty fruit bunch fiber, 603
Oil resistance, 1001
Oleic acid, 1354
OPP, 2389
Optical limiter, 2398
Optical microscopy, 2166
Optical property, 724
Optical transmission loss, 14
Optimization, 149, 475
Organic compounds, 1304
Organic–inorganic hybrid, 2186
Organic–inorganic hybrid materials, 1179
Organophilic clay, 1918
Orientation, 412
Orientational structure, 1869
Oscillating packing injection molding, 1906, 1911
Outdoor weathering, 1671
Oxidative degradation, 298
2-(6-oxido-6H-dibenz<c,e><1,2> oxaphosphorin-6-yl)chloride, 1636
Oxiranes, 2081
Oxyethylene segment, 1531
Oxygen plasma treatment, 1392
Oxygen-permeable polyurethane ionomers, 1932
Ozawa analysis, 338

Pale crepe, 1510
PAMAM, 2186
Pan-milling, 2016
Paper, 61
Paper strength, 1805
Pareto set, 1439
Particle size distribution, 1431
Particle-size distribution, 894, 1152
Particulate-filled composites, 1947
p-Carboxybenzyl ether, 1191
p-(Chloromethyl)styrene, 1992
PE blend, 899
Pectin, 1191
PECVD, 842
Peel adhesion, 1392
PEI, 200
PEO-graft copolymers, 2416
PE/PA-6 blends, 2416
Permanganic etching, 787, 1911
Permeability, 179
Permeation, 1250
Permselectivity, 1845
Peroxide radical reactions, 886
Pervaporation, 1304
PET, 200, 910, 1998
pH, 875, 1884, 2219
Phase inversion, 2145
Phase morphology, 953, 2104
Phase separation, 392, 1025, 1853
Phase stability, 1328
Phase transfer, 1505
Phenol, 311, 355
Phenols, 2061
4-Phenyl-1,2,4-triazoline-3,5-diones, 527
Phosphazenes, 1092
Phosphonium groups, 1833
Phosphorus, 1
Photo conversion, 1412
Photoactive polymers, 527
Photocalorimeter, 1478
Photocalorimetry, 458
Photocrosslinked PVCA, 1744
Photo-dielectric dry film (PDDF), 430
Photoinitiator, 2061
Photoluminescence, 2180
Photopolymerization, 2061
Physical aging, 1275
Physical interlocking, 1267
Physical properties, 326, 743, 1495
Physico-mechanical properties, 1200
Physicomechanical properties, 1811
Plant gum, 1586
Plasma, 1083, 1366
Plasma functionalized surface, 1783

Plasma treatment, 1845
Plasma treatments, 1121
PMMA, 2311
Polyacrylate, 2398
Poly(acrylic acid), 870, 919
Polyacrylonitrile, 941
Polyamide, 850, 1579
Polyamide 12 (PA12), 1374
Polyamide-6,6-based compatibilizer, 1267
Polyarylate, 953
Polybenzimidazole, 438
1,2-Poly(butadiene), 1621
Polybutene-1, 2533
Poly(butyl acrylate), 1392
Poly(butylene succinate), 1121
Poly(butylene terephthalate), 1001
Polybutylene terephthalate (PBT), 412
Polycarbonate, 858, 2488
Polycarbonate-poly(dimethyl siloxane), 858
Polycarbonates, 1071
Polycarbosilane, 724
Polycondensation, 20
Polydimethylsiloxane, 1071, 1955
Poly(D,L-lactic-glycolic acid), 1721
Poly-DL-lactide-poly(ethylene glycol), 140
Polyelectrolyte, 47, 1680
Polyester, 124, 1083, 2454
Poly(ester amide)s, 486
Polyester fiber, 1134
Polyesteramide, 1811
Poly(ether imide), 2488
Polyethers, 1071
Polyethylene, 759, 1591, 1776
Polyethylene blends, 1009
Poly(ethylene glycol), 319, 1721
Poly(ethylene oxide), 816
Poly(ethylene terephthalate), 1017, 1923
Poly(ethylene terephthalate) tire cord fiber, 90
Poly(hydroxamic acid), 1209
Polyimide, 1818
Polyimide/copper system, 2518
Poly(isobutylene), 1392
Polyisoprene *N,N'*-dipentamethylenethiuram sulfides, 1112
Poly(lactic-glycolic acid), 1721
Poly(L-lactide), 2369
Polymer blends, 586
Polymer composite, 1348
Polymer films, 1897
Polymer luminescence, 919
Polymer mixtures, 1328
Polymer nanocomposite, 2272
Polymer solid electrolyte, 1531
Polymer solution, 836
Polymer solutions, 1328
Polymer supported catalyst, 2075
Polymer–metal complexes, 751
Polymer–polymer interaction, 1971
Polymer-coated glass, 933
Polymeric coatings, 2145
Polymeric salts, 972
Polymerization, 101, 2318
Polymerization kinetics, 2379
Polymers from renewable resources, 2213
Polymer-solution coatings, 149
Poly(methyl acrylate-*co*-anhydride), 1763
Poly(methyl methacrylate), 1439, 1869
Polymethyl methacrylate triethylene glycol dimethacrylate copolymer, 586
Polymethylmethacrylate, 81
Polymorphism, 412
Poly(*N*-isopropylacrylamide) (PNIPA), 1971
Poly(*N,N*-dimethylaminoethyl methacrylate), 972
Poly(*N*-vinyl-2-pyrrolidone), 507
Poly(*N*-vinyl-2-pyrrolidone) hydrogel, 994
Poly(*N*-vinyl-2-pyrrolidone)/persulfate hydrogel, 994
Poly(*o*-amino benzoic acid), 662
Polyol, 319, 1402
Polyolefins, 464
Polyolefins grafting, 2405
Poly(oxyalkylene)diamine, 615
Poly(oxybenzoate-*co*-trimethylene terephthalate), 2025
Polyphenylene oxide, 1845
Polyphenylene sulfide, 1579
Polyphenylquinoxaline, 1275
Polyphosphazenes, 650
Polypropylene, 452, 886, 1152, 1233, 1419, 1918, 2047, 2089, 2158, 2174, 2191, 2482, 2547
Polypropylene blend, 962
Polypropylene nonwoven supports, 2166
Polypropylene tapes, 787
Polypropylene/EPDM blend, 1267
Polysilane, 133
Polystyrene, 953, 2327
Polysulfone membrane surface modification, 979
Poly(tetrabromo-p-phenylene-diselenide) (PBrPDSe), 2511
Poly(tetrafluoroethylene-*co*-hexafluoropropylene), 2443
Poly(trimethylene terephthalate), 2025
Polyurea, 894
Polyurethane, 67, 543, 558, 624
Polyurethane foam, 319
Polyurethane foams, 766
Polyurethanes, 1071, 1628
Poly(vinyl alcohol), 1645
Poly(vinyl amine), 870
Poly(vinyl chloride), 1402
Poly(vinylidene fluoride) (PVDF), 1374
Poly(vinylpyrrolidone), 2122
POM, 800
Porous copolymers, 250
Porous polymer, 1209
Positron annihilation, 1612
Pour point depressant and viscometry, 836
PP, 910
PP/EPDM blend, 962
PP/EVA blend, 962
PPO–SAN blends, 2037
Preparation, 668
Prestructuring of gels, 284
Pretreatment, 382
Printing, 2425
Processability, 326, 743, 1811
Promoter, 808
Properties, 766, 2016
Properties of raw natural rubber, 1517
Property, 20, 412
Protein, 933
Protein release, 140
Proton exchange membrane, 2443
PS, 1998
PTFE, 800
Pulp, 2242, 2254, 2262
Pulsed plasma, 842
Purification, 1092
Purified natural rubber (PNR), 1495
PVC/CPE blends, 166
PVDC, 2389
Py-GC-MS, 2369
Pyrolysis–gas chromatography (Py-GC), 2140

Quantitative analysis, 1947
Quaternary ammonium termini, 109

Radiation crosslinking, 278
Radiation grafting, 1320, 2443
Radiation processing, 298

Reaction mechanism, 2081
Reactive compatibilization, 1017
Reactive extrusion, 1233
Reactive processing, 858, 2405
Reactivity ratio, 1412
Recycling, 899, 910
Recycling scrap tire rubber, 1573
Reflectance Fourier transform infrared/differential scanning calorimetry microspectroscopy, 829
Regime transitions, 576
Regrind, 1737
Reinforcement, 2235
Reinforcing filler, 1853
Reinforcing particulate, 766
Relaxation spectrometry, 858
Relaxation time, 392
Relaxations, 8
Release mechanism, 140
Reprocessability, 326
Residual structure, 1751
Resin, 124
Retention aid, 1805
Retention time, 537
Rheological behavior, 858, 1191
Rheology, 1245
Rigid rod, 446
Roller assembly, 1737
ROMP, 47
Rosin size, 1805
Roughness, 631
Rubber, 1250
Rubber clone, 1517
Rubber mixing, 1555
Rubber seals, 2500
Rubber–clay nanocomposites, 1879
Rubber–plastic blends, 1001
Rubberwood, 1517
Rubbery membrane, 179
Ruthenium alkylidene, 47

11S soy protein, 1063
SAA-fortified latex, 639
SAN, 1861
Saturated acid, 1826
Scanning electron microscopy, 858, 1152
Scrub resistance, 475
Seed polymerization, 1209
Seeded emulsion polymerization, 875
Self-assembled nitro-containing diazoresin-polysodium *p*-styrenesulfonate film, 631
Self-condensation reaction, 1884
SEM, 1121, 1275
Semiconductor industrial field, 1312
Semicrystalline polymers, 1664
Semiempirical, 355
Semiinterpenetrating polymer networks, 1402
Sericite-tridymite-cristobalite, 243
Shrinkability, 707
Shrinkage control, 586
Shrinking, 41
Silane, 1233
Silica support, 2318
Silicon, 1
Silicone, 2198
Silsesquioxane, 724
Single fiber composite fragmentation test, 2047
SiO_x, 910
SiOx, 2389
Size exclusion chromatography, 1315
Skim rubber, 1510
SMA copolymers, 592
Small angle light scattering, 452
Sodium alginate, 1797
Sodium PVA sulfate, 2525
Soil biodegradation, 1341
Soil burial test, 1707
Sol–gel process, 1179, 1763
Sol-gel process, 2186
Solid state nuclear magnetic resonance analysis, 2166
Solid-phase grafting, 2191, 2482
Solubility, 20, 438, 464, 537, 1092, 1160
Solubility coefficient, 179
Solvent castable film, 118
Sorbents, 2495
Sorption, 941, 1304, 2435
Sorption isotherms, 1612
Soybean oil, 1044, 1698
Spacer, 1783
SPG membrane, 1025
Sponge structure, 2435
s-PVA, 41
Stabilizers, 2158
Stainless steel fiber, 2174
Starch-*g*-polycaprolactone copolymer, 986
Static quenching, 133
Steady stirring, 1431
Stearic acid, 1354
Sterically hindered amines, 2158
Stress cracking, 1923
Stress-enhanced diffusion, 1250
Stretching, 707
Structure, 766, 2016
Styrene, 875, 1320, 1977, 2443, 2482
Styrene droplet, 1025
Styrene–butadiene rubber, 1280, 2134
Styrene-butadiene rubber, 1873
Styrene-butadiene rubber (SBR) vulcanizate, 25
Succinic acid, 486
Sulfonated maleated ionomer, 743
Sulfonated poly(ether ether ketone), 2488
Sulfonation, 2443
Sulfonic acid termini, 109
Sulfur dioxide gas, 1312
Sulfur vulcanization, 2206
Superabsorbent, 1797, 1833, 2525
Surface, 1964, 2198
Surface modification, 1083, 1392
Surface molecular imprinting, 695
Surface morphology, 1783
Surface rheology, 704
Surfactant, 704
Suspension polymerization, 1025, 1431
Swelling, 41, 624, 1818
Swelling behavior, 994, 1604
Swelling in water, 250
Syndiotactic polypropylene, 338
Syndiotactic polystyrene, 2008
Synthesis, 403, 650, 1071

Taber wear factor, 800
Tack, 1486
Takayanagi model, 558
Takhor method, 338
Targeting drug delivery system, 517
Tartaric acid, 486
Taut tie molecules, 90
Technical properties, 2500
Tefzel, 1171
TEM, 1861, 1879
Temperature, 2219
Temperature measurement, 1419
Temperature profile, 2398
Tensile, 1275
Tensile behavior, 899
Tensile mechanical properties, 200
Tensile properties, 237
Ternary reactive blend, 1597
Tetrabutyl titanate, 1763
Textiles, 2425
TG curves, 166
Theoretical maximum glass-transition temperature, 511
Thermal behavior, 1160, 1200
Thermal characterization, 1671

Thermal curve, 458
Thermal decomposition, 1057
Thermal degradation, hydrolytic degradation, 1721
Thermal degradation kinetics, 794
Thermal deterioration, 14
Thermal fractionation, 1009
Thermal oxidative degradation, 61
Thermal properties, 200, 894, 986, 1063, 1721
Thermal property, 724
Thermal spray, 2272
Thermal stability, 166, 290, 603, 858, 1057
Thermal transition behavior, 1522
Thermally stimulated creep, 8
Thermally stimulated current, 8
Thermogravimetric analysis, 829, 1171, 1239, 2166, 2363
Thermogravimetry, 1947, 2025
Thermomechanical analysis, 732
Thermoplastic composites, 2242, 2254, 2262
Thermoplastic elastomer, 1001
Thermoplastic starch, 2345
Thermoreversible hydrogel, 1604
Thermorheological simplicity, 1245
Thermosets, 1044
Thermostability, 2025
Thermotropic, 751
Thermotropic liquid crystallinity, 2474
Theta temperatures, 507
Thioether, 650
Timber yield, 1517
Time-temperature superposition, 1245
Tire, 1566
Titanium tetrachloride, 2075
Titanium-containing copolymer, 190
Tobin analysis, 338
Toner, 2425
Topological structure, 732
Toughened polystyrene, 1505
Toughening, 716
Tracking experiment, 1256
Tracking resistance, 2540
Transfer, 751
Transitions, 8
Transparency, 953
Transport behavior, 1280
Trialkylaluminum, 1621
Triethylene glycol dimethacrylate, 1209
Trifluoromethane, 842
Trithiocyanuric acid, 2081
Tung oil, 1044, 1698
tussah silk, 382
Twin-screw extrusion, 1419
Two-disk machine, 2311

UL-94, 228
Ultraviolet-curable, 1853
Uncured carbon black filled compound, 1542
Undecanoic acid, 1354
Undecylenic acid, 1354
Uniaxial drawing, 1869
Uniaxial films, 412
Uniaxial oscillating stress field, 1906
Uniform microsphere, 1025
Unsaturated group, 1216
Unsaturated polyester resin, 495
Unsaturated polyester resins, 543, 558
Unsteady stirring, 1431
Uranyl ion adsorption, 2219
Uranyl ion uptake, 284
Urethane acrylate ionomers, 1853
UV curing, 458, 1478
UV irradiation, 631
UV radiation, 304
UV-curing, 2061

Varying reactivity, 1597
Vinyl, 101
Vinyl acetate—VeoVa 10, 475
Vinyl chloride–vinyl acetate copolymer, 1057
Vinyl titanate, 190
Vinyl triethoxysilane, 2235
Vinylphenylboronic acid, 268
4-Vinylpyridine, 668, 676
Viscoelastic behavior, 2345
Viscoelasticity, 1664, 1861
Viscosity, 537
Visualization, 704
Volatile compound, 2435
Volume shrinkage, 543
Vulcanization, 941, 1100, 1112, 2290, 2302

Water, 994
Water absorption, 1063, 1671
Water lubrication, 609
Water sorption, 364
Water uptake, 250
Water vapor transport, 816
Water-based urethane acrylate crosslinking agent, 1216
Water-borne coatings, 67
Water/oil emulsion, 1645
Water-repellent, 1955
Water-soluble, 1853
Wear resistance, 609
Wear testing, 2272
Weatherability, 2540
Weathering, 1591
Weight loss, 14, 1341
Wet silylation, 2145
Wet spinning, 1797
Wood, 2061

Xanthate accelerators, 1769
Xerography, 2425
XPS, 1083, 1366
X-ray diffraction, 707, 1354, 2242
X-ray photoelectron spectroscopy (XPS), 2511
X-ray reflectivity, 1818
XRD, 1879
Xylan, 1191

Yukawa potential, 1971

Ziegler-Natta, 1591
Ziegler-Natta catalyst, 2318, 2533
Zinc bis(dimethyldithiocarbamate), 2206
Zinc stearate, 743
$ZnCl_2$, 2290, 2302
ZnO, 1112, 2290, 2302